

NAME	LENGTH	BEG	END	CONTENTS
*** FI Hospice Claim Record (NCH) VAR		1	12359	REC Fiscal intermediary hospice claim record for version I of the NCH. STANDARD ALIAS : FI_HOSPC_CLM_REC SYSTEM ALIAS : UTLHOSPI
1. FI Hospice Claim Fixed Group 569		1	569	GRP Fixed portion of the fiscal intermediary record for version I of the NCH. STANDARD ALIAS : FI_HOSPC_CLM_FIX_GRP
hospice claim				
2. Claim Record Identification Group 8		1	8	GRP Effective with Version 'I' the record length, version code, record identification, code and NCH derived claim type code were STANDARD ALIAS : CLM_REC_IDENT_GRP
moved				
3. Record Length Count 3		1	3	PACK Effective with Version H, the count (in of the length of the claim record. NOTE: During the Version H conversion this was populated with data throughout history (back to service year 1991). DB2 ALIAS : REC_LNGTH_CNT SAS ALIAS : REC_LEN STANDARD ALIAS : REC_LNGTH_CNT LENGTH : 5 SIGNED : Y SOURCE : NCH
bytes)				
field				
4. NCH Near-Line Record Version Code 1		4	4	CHAR The code indicating the record version of the where the institutional, carrier or DMERC stored. DB2 ALIAS : NCH_REC_VRSN_CD SAS ALIAS : REC_LVL STANDARD ALIAS : NCH_NEAR_LINE_REC_VRSN_CD TITLE ALIAS : NCH_VERSION LENGTH : 1 COMMENTS : Prior to Version H this field was named: CLM_NEAR_LINE_REC_VRSN_CD. SOURCE : NCH
Nearline file claims data are				

5. NCH Near Line Record Identification Code
1 5 5
being processed.

CODE TABLE : NCH_NEAR_LINE_REC_VRSN_TB

CHAR

A code defining the type of claim record

COMMON ALIAS : RIC
DB2 ALIAS : NEAR_LINE_RIC_CD
SAS ALIAS : RIC_CD
STANDARD ALIAS : NCH_NEAR_LINE_RIC_CD
TITLE ALIAS : RIC

LENGTH : 1

COMMENTS :
Prior to Version H this field was named:
RIC_CD.

SOURCE : NCH

CODE TABLE : NCH_NEAR_LINE_RIC_TB

6. NCH MQA RIC Code
1 6 6
internal
being processed
10/3/97 this
processed prior

CHAR

Effective with Version H, the code used (for editing purposes) to identify the record through CMS' CWFMQA system.

NOTE: Beginning with NCH weekly process date field was populated with data. Claims to 10/3/97 will contain spaces in this field.

DB2 ALIAS : NCH_MQA_RIC_CD
SAS ALIAS : MQA_RIC
STANDARD ALIAS : NCH_MQA_RIC_CD
TITLE ALIAS : MQA_RIC

LENGTH : 1

SOURCE : NCH QA PROCESS

CODE TABLE : NCH_MQA_RIC_TB

7. NCH Claim Type Code
2 7 8
record being
field was
to
field was
encounter

CHAR

The code used to identify the type of claim processed in NCH.

NOTE1: During the Version H conversion this populated with data throughout history (back service year 1991).

NOTE2: During the Version I conversion this expanded to include inpatient 'full' claims (for service dates after 6/30/97).

DB2 ALIAS : NCH_CLM_TYPE_CD
SAS ALIAS : CLM_TYPE
STANDARD ALIAS : NCH_CLM_TYPE_CD
TITLE ALIAS : CLAIM_TYPE

LENGTH : 2

DERIVATIONS :
FFS CLAIM TYPE CODES DERIVED FROM:
NCH CLM_NEAR_LINE_RIC_CD
NCH PMT EDIT RIC CD

NCH CLM_TRANS_CD
NCH PRVDR_NUM

FROM:

INPATIENT 'FULL' ENCOUNTER TYPE CODE DERIVED

(Pre-HDC processing -- AVAILABLE IN NCH)
CLM_MCO_PD_SW
CLM_RLT_COND_CD
MCO_CNTRCT_NUM
MCO_OPTN_CD
MCO_PRD_EFCTV_DT
MCO_PRD_TRMNTN_DT

DERIVATION RULES:

SET CLM_TYPE_CD TO 10 (HHA CLAIM) WHERE THE FOLLOWING CONDITIONS ARE MET:

'U'

1. CLM_NEAR_LINE_RIC_CD EQUAL 'V', 'W' OR
2. PMT_EDIT_RIC_CD EQUAL 'F'
3. CLM_TRANS_CD EQUAL '5'

CLAIM)

SET CLM_TYPE_CD TO 20 (SNF NON-SWING BED

WHERE THE FOLLOWING CONDITIONS ARE MET:

'W', 'Y'

1. CLM_NEAR_LINE_RIC_CD EQUAL 'V'
2. PMT_EDIT_RIC_CD EQUAL 'C' OR 'E'
3. CLM_TRANS_CD EQUAL '0' OR '4'
4. POSITION 3 OF PRVDR_NUM IS NOT 'U',
OR 'Z'

SET CLM_TYPE_CD TO 30 (SNF SWING BED CLAIM) WHERE THE FOLLOWING CONDITIONS ARE MET:

'W', 'Y'

1. CLM_NEAR_LINE_RIC_CD EQUAL 'V'
2. PMT_EDIT_RIC_CD EQUAL 'C' OR 'E'
3. CLM_TRANS_CD EQUAL '0' OR '4'
4. POSITION 3 OF PRVDR_NUM EQUAL 'U',
OR 'Z'

SET CLM_TYPE_CD TO 40 (OUTPATIENT CLAIM) WHERE THE FOLLOWING CONDITIONS ARE MET:

1. CLM_NEAR_LINE_RIC_CD EQUAL 'W'
2. PMT_EDIT_RIC_CD EQUAL 'D'
3. CLM_TRANS_CD EQUAL '6'

ENCOUNTER

6/30/97 -

MET:

SET CLM_TYPE_CD TO 50 (HOSPICE CLAIM) WHERE THE FOLLOWING CONDITIONS ARE MET:

1. CLM_NEAR_LINE_RIC_CD EQUAL 'V'
2. PMT_EDIT_RIC_CD EQUAL 'I'
3. CLM_TRANS_CD EQUAL 'H'

SET CLM_TYPE_CD TO 60 (INPATIENT CLAIM) WHERE THE FOLLOWING CONDITIONS ARE MET:

1. CLM_NEAR_LINE_RIC_CD EQUAL 'V'
2. PMT_EDIT_RIC_CD EQUAL 'C' OR 'E'
3. CLM_TRANS_CD EQUAL '1' '2' OR '3'

THE

SET CLM_TYPE_CD TO 61 (INPATIENT 'FULL'

CLAIM - PRIOR TO HDC PROCESSING - AFTER

MET:

12/4/00) WHERE THE FOLLOWING CONDITIONS ARE

1. CLM_MCO_PD_SW = '1'
2. CLM_RLT_COND_CD = '04'
3. MCO_CNTRCT_NUM
MCO_OPTN_CD = 'C'
CLM_FROM_DT & CLM_THRU_DT ARE WITHIN

MCO_PRD_EFCTV_DT & MCO_PRD_TRMNTN_DT
ENROLLMENT PERIODS

ENCOUNTER

SET CLM_TYPE_CD TO 61 (INPATIENT 'FULL'

CLAIM -- EFFECTIVE WITH HDC PROCESSING)

WHERE THE

FOLLOWING CONDITIONS ARE MET:

1. CLM_NEAR_LINE_RIC_CD EQUAL 'V'
2. PMT_EDIT_RIC_CD EQUAL 'C' OR 'E'

CLAIM) 3. CLM_TRANS_CD EQUAL '1' '2' OR '3'
 4. FI_NUM = 80881
 SET CLM_TYPE_CD TO 71 (RIC O non-DMEPOS
 WHERE THE FOLLOWING CONDITIONS ARE MET:
 1. CLM_NEAR_LINE_RIC_CD EQUAL 'O'
 2. HCPCS_CD not on DMEPOS table
 SET CLM_TYPE_CD TO 72 (RIC O DMEPOS CLAIM)
 WHERE THE FOLLOWING CONDITIONS ARE MET:
 1. CLM_NEAR_LINE_RIC_CD EQUAL 'O'
 2. HCPCS_CD on DMEPOS table (NOTE: if one
 or more line item(s) match the HCPCS on
 the DMEPOS table).
 SET CLM_TYPE_CD TO 81 (RIC M non-DMEPOS
 CLAIM)
 WHERE THE FOLLOWING CONDITIONS ARE MET:
 1. CLM_NEAR_LINE_RIC_CD EQUAL 'M'
 2. HCPCS_CD not on DMEPOS table
 DMERC SET CLM_TYPE_CD TO 82 (RIC M DMEPOS DMERC
 CLAIM)
 WHERE THE FOLLOWING CONDITIONS ARE MET:
 1. CLM_NEAR_LINE_RIC_CD EQUAL 'M'
 2. HCPCS_CD on DMEPOS table (NOTE: if one
 or more line item(s) match the HCPCS on
 the DMEPOS table).
 SOURCE : NCH
 CODE TABLE : NCH_CLM_TYPE_TB
 8. Fiscal Intermediary Claim Link Group 125 9 133 GRP
 Effective with Version 'I', this group
 contains those fields necessary to keep
 segments together (a claim may have up to 10
 segments due to the increase in number of
 revenue center trailers (up to 450). It is
 also used to house fields necessary for
 sorting and the final action process.
 STANDARD ALIAS : FI_CLM_LINK_GRP
 9. Claim Locator Number Group 11 9 19 GRP
 This number uniquely identifies the
 beneficiary in the NCH Nearline.
 COMMON ALIAS : HIC
 STANDARD ALIAS : CLM_LCTR_NUM_GRP
 TITLE ALIAS : HICAN
 10. Beneficiary Claim Account Number 9 9 17 CHAR
 The number identifying the primary
 beneficiary under the SSA or RRB programs submitted.
 COMMON ALIAS : CAN
 DB2 ALIAS : BENE_CLM_ACNT_NUM
 SAS ALIAS : CAN
 STANDARD ALIAS : BENE_CLM_ACNT_NUM
 TITLE ALIAS : CAN
 LENGTH : 9

SOURCE : SSA,RRB

LIMITATIONS :

RRB-issued numbers contain an overpunch in the first position that may appear as a plus zero or A-G. RRB-formatted numbers may cause matching problems on non-IBM machines.

11. NCH Category Equatable Beneficiary Identification Code
2 18 19 CHAR

matches

The code categorizing groups of BICs representing similar relationships between the beneficiary and the primary wage earner.

The equatable BIC module electronically

two records that contain different BICs where it is apparent that both are records for the same beneficiary. It validates the BIC and returns a base BIC under which to house the record in the National Claims History (NCH) databases. (All records for a beneficiary are stored under a single BIC.)

COMMON ALIAS : NCH_BASE_CATEGORY_BIC
DB2 ALIAS : CTGRY_EQTBL_BIC
SAS ALIAS : EQ_BIC
STANDARD ALIAS : NCH_CTGRY_EQTBL_BIC_CD
TITLE ALIAS : EQUATED_BIC

LENGTH : 2

COMMENTS :

Prior to Version H this field was named: CTGRY_EQTBL_BENE_IDENT_CD.

SOURCE : BIC EQUATE MODULE

CODE TABLE : CTGRY_EQTBL_BENE_IDENT_TB

12. Beneficiary Identification Code
2 20 21 CHAR

between an
Administration
(RRB)

The code identifying the type of relationship individual and a primary Social Security (SSA) beneficiary or a primary Railroad Board beneficiary.

COMMON ALIAS : BIC
DA3 ALIAS : BENE_IDENT_CODE
DB2 ALIAS : BENE_IDENT_CD
SAS ALIAS : BIC
STANDARD ALIAS : BENE_IDENT_CD
TITLE ALIAS : BIC

LENGTH : 2

SOURCE : SSA/RRB

EDIT RULES :

EDB REQUIRED FIELD

CODE TABLE : BENE_IDENT_TB

13. NCH State Segment Code
1 22 22 CHAR

Nearline file
specific service
CLM_LCTR_NUM,
state. (Prior
county codes within

The code identifying the segment of the NCH containing the beneficiary's record for a year. Effective 12/96, segmentation is by then final action sequence within residence to 12/96, segmentation was by ranges of

the residence state.)

DB2 ALIAS : NCH_STATE_SGMT_CD
SAS ALIAS : ST_SGMT
STANDARD ALIAS : NCH_STATE_SGMT_CD
TITLE ALIAS : NEAR_LINE_SEGMENT

LENGTH : 1

COMMENTS :
Prior to Version H this field was named:
BENE_STATE_SGMT_NEAR_LINE_CD.

SOURCE : NCH

CODE TABLE : NCH_STATE_SGMT_TB

14. Beneficiary Residence SSA Standard State Code
2 23 24 CHAR

beneficiary's residence.

The SSA standard state code of a

DA3 ALIAS : SSA_STANDARD_STATE_CODE
DB2 ALIAS : BENE_SSA_STATE_CD
SAS ALIAS : STATE_CD
STANDARD ALIAS : BENE_RSDNC_SSA_STD_STATE_CD
TITLE ALIAS : BENE_STATE_CD

LENGTH : 2

COMMENTS :
1. Used in conjunction with a county code, as
selection criteria for the determination of
payment rates for HMO reimbursement.
2. Concerning individuals directly billable

for

Part B and/or Part A premiums, this element
is used to determine if the beneficiary
will receive a bill in English or Spanish.
3. Also used for special studies.

SOURCE : SSA/EDB

EDIT RULES :
OPTIONAL: MAY BE BLANK

CODE TABLE : GEO_SSA_STATE_TB

15. Claim From Date
8 25 32 NUM

Date').

The first day on the billing statement
covering services rendered to the bene-
ficiary (a.k.a. 'Statement Covers From

NOTE: For Home Health PPS claims, the 'from'
date and the 'thru' date on the RAP (initial
claim) must always match.

DB2 ALIAS : CLM_FROM_DT
SAS ALIAS : FROM_DT
STANDARD ALIAS : CLM_FROM_DT
TITLE ALIAS : FROM_DATE

LENGTH : 8 SIGNED : N

SOURCE : CWF

EDIT RULES :
YYYYMMDD

16. Claim Through Date
8 33 40 NUM

covering

The last day on the billing statement
services rendered to the beneficiary (a.k.a
'Statement Covers Thru Date').

NOTE: For Home Health PPS claims, the 'from' date and the 'thru' date on the RAP (initial claim) must always match.

DB2 ALIAS : CLM_THRU_DT
SAS ALIAS : THRU_DT
STANDARD ALIAS : CLM_THRU_DT
TITLE ALIAS : THRU_DATE

LENGTH : 8 SIGNED : N

SOURCE : CWF

EDIT RULES :
YYYYMMDD

17. NCH Weekly Claim Processing Date
8 41 48 NUM

The date the weekly NCH database load process cycle begins, during which the claim records are loaded into the Nearline file. This date will always be a Friday, although the claims will actually be appended to the database subsequent to the date.

DB2 ALIAS : NCH_WKLY_PROC_DT
SAS ALIAS : WKLY_DT
STANDARD ALIAS : NCH_WKLY_PROC_DT
TITLE ALIAS : NCH_PROCESS_DT

LENGTH : 8 SIGNED : N

COMMENTS :
Prior to Version H this field was named:
HCFA_CLM_PROC_DT.

SOURCE : NCH

EDIT RULES :
YYYYMMDD

18. CWF Claim Accretion Date
8 49 56 NUM

(posted/

The date the claim record is accreted processed) to the beneficiary master record at the CWF host site and authorization for payment is returned to the fiscal intermediary or carrier.

DB2 ALIAS : CWF_CLM_ACRTN_DT
SAS ALIAS : ACRTN_DT
STANDARD ALIAS : CWF_CLM_ACRTN_DT
TITLE ALIAS : ACCRETION_DT

LENGTH : 8 SIGNED : N

SOURCE : CWF

EDIT RULES :
YYYYMMDD

19. CWF Claim Accretion Number
2 57 58 PACK

indicates

date

The sequence number assigned to the claim record when accreted (posted/processed) to the beneficiary master record at the CWF host site on a given date. This element

the position of the claim within that day's processing at the CWF host. **(Exception: If the claim record is missing the accretion

CMS' CWFMQA system places a zero in the accretion number.

DB2 ALIAS : CWF_CLM_ACRTN_NUM
SAS ALIAS : ACRTN NM

STANDARD ALIAS : CWF_CLM_ACRTN_NUM
TITLE ALIAS : ACCRETION_NUMBER

LENGTH : 3 SIGNED : Y

SOURCE : CWF

20. FI Document Claim Control Number 23 59 81 CHAR

Unique control number assigned by an intermediary to an institutional claim.

COMMON ALIAS : ICN
DB2 ALIAS : DOC_CLM_CNTL_NUM
SAS ALIAS : CLM_CNTL
STANDARD ALIAS : FI_DOC_CLM_CNTL_NUM
TITLE ALIAS : ICN

LENGTH : 23

SOURCE : CWF

21. FI Original Claim Control Number 23 82 104 CHAR

intermediary
adjustment

Effective with Version G, the original control number (ICN) which is present on claims, representing the ICN of the original transaction now being adjusted.

COMMON ALIAS : ORIGINAL_ICN
DB2 ALIAS : ORIG_CLM_CNTL_NUM
SAS ALIAS : ORIGCNTL
STANDARD ALIAS : FI_ORIG_CLM_CNTL_NUM
TITLE ALIAS : ORIGINAL_ICN

LENGTH : 23

SOURCE : CWF

22. Claim Query Code 1 105 105 CHAR

being processed
indicator;

Code indicating the type of claim record with respect to payment (debit/credit interim/final indicator).

DB2 ALIAS : CLM_QUERY_CD
SAS ALIAS : QUERY_CD
STANDARD ALIAS : CLM_QUERY_CD
TITLE ALIAS : QUERY_CD

LENGTH : 1

SOURCE : CWF

CODE TABLE : CLM_QUERY_TB

23. Provider Number 6 106 111 CHAR

institutional provider
the

The identification number of the certified by Medicare to provide services to beneficiary.

Provider

NOTE: Effective October 1, 2007 the OSCAR Number has been renamed the CMS Certification Number (CCN). The name was changed to avoid confusion with the National Provider

Identifier

(NPI). The CCN (OSCAR Provider Number) will continue to play a critical role in verifying that a provider has been Medicare certified

and

for what type of services.

DB2 ALIAS : PRVDR_NUM
SAS ALIAS : PROVIDER
STANDARD ALIAS : PRVDR_NUM
TITLE ALIAS : PROVIDER_NUMBER

LENGTH : 6

CODE TABLE : PRVDR_NUM_TB

24. NCH Daily Process Date 8 112 119

NUM

record was
internal editing

Effective with Version H, the date the claim processed by CMS' CWFMQA system (used for purposes).

in conjunction
claims with

Effective with Version I, this date is used with the NCH Segment Link Number to keep multiple records/ segments together.

populated with
10/3/97.
that were
a date.

NOTE1: With Version 'H' this field was data beginning with NCH weekly process date Under Version 'I' claims prior to 10/3/97, blank under Version 'H', were populated with

DB2 ALIAS : NCH_DAILY_PROC_DT
SAS ALIAS : DAILY_DT
STANDARD ALIAS : NCH_DAILY_PROC_DT
TITLE ALIAS : DAILY_PROCESS_DT

LENGTH : 8 SIGNED : N

SOURCE : NCH

EDIT RULES :
YYYYMMDD

25. NCH Segment Link Number 5 120 124

PACK

records/segments

Effective with Version 'I', the system generated number used in conjunction with the NCH daily process date to keep

belonging to a specific claim together. This field was added to ensure that records/ segments that come in on the same batch with the same identifying information in the link group are not mixed with each other.

NOTE: During the Version I conversion this field was populated with data throughout history (back to service year 1991).

DB2 ALIAS : NCH_SGMT_LINK_NUM
SAS ALIAS : LINK_NUM
STANDARD ALIAS : NCH_SGMT_LINK_NUM
TITLE ALIAS : LINK_NUM

LENGTH : 9 SIGNED : Y

SOURCE : NCH

26. Claim Total Segment Count 2 125 126

NUM

Effective with Version I, the count used to identify the total number of segments associated with a given claim. Each claim could have up to 10 segments.

NOTE: During the Version I conversion, this field was populated with data throughout history (back to service year 1991). For institutional claims, the count for claims prior to 7/00 will be 1 or 2 (1 if 45 or less revenue center lines on a claim and 2 if more than 45 revenue center lines on a claim). For noninstitutional claims, the count will always be 1.

DB2 ALIAS : TOT_SGMT_CNT
SAS ALIAS : SGMT_CNT
STANDARD ALIAS : CLM_TOT_SGMT_CNT
TITLE ALIAS : SEGMENT_COUNT

LENGTH : 2 SIGNED : N

SOURCE : CWF

27. Claim Segment Number

2 127 128 NUM

Effective with Version I, the number used to identify an actual record/segment (1 - 10) associated with a given claim.

NOTE: During the Version I conversion this field was populated with data throughout history (back to service year 1991). For institutional claims prior to 7/00, this number will be either 1 or 2. For noninstitutional claims, the number will always be 1.

DB2 ALIAS : CLM_SGMT_NUM
SAS ALIAS : SGMT_NUM
STANDARD ALIAS : CLM_SGMT_NUM
TITLE ALIAS : SEGMENT_NUMBER

LENGTH : 2 SIGNED : N

SOURCE : CWF

28. Claim Total Line Count

3 129 131 NUM

Effective with Version I, the count used to identify the total number of revenue center lines associated with the claim.

NOTE: During the Version I conversion this field was populated with data throughout history (back to service year 1991). Prior to Version 'I', the maximum line count will be no more than 58. Effective with

'I', the maximum line count could be 450.

DB2 ALIAS : TOT_LINE_CNT
SAS ALIAS : LINECNT
STANDARD ALIAS : CLM_TOT_LINE_CNT
TITLE ALIAS : TOTAL_LINE_COUNT

LENGTH : 3 SIGNED : N

SOURCE : CWF

Version

29. Claim Segment Line Count

2 132 133 NUM

Effective with Version I, the count used to identify the number of lines on a record/segment.

NOTE: During the Version I conversion this field was populated with data throughout history (back to service year 1991). The maximum line count per record/segment on the revenue center trailer is 45. The maximum number of lines on carrier and DMERC

claims are 13.

DB2 ALIAS : SGMT_LINE_CNT
SAS ALIAS : SGMLINE
STANDARD ALIAS : CLM_SGMT_LINE_CNT
TITLE ALIAS : SEGMENT_LINE_COUNT

LENGTH : 2 SIGNED : N
SOURCE : CWF

30. FI Claim Common Group 359 134 492 GRP

(FI)
hospice),

Information common to fiscal intermediary
claims (inpatient/SNF, outpatient, HHA &
for version I of NCH Nearline file.
STANDARD ALIAS : FI_CLM_CMN_GRP

31. NCH Payment and Edit Record Identification Code 1 134 134 CHAR

purposes that
record.

The code used for payment and editing
indicates the type of institutional claim
Prior to Version H this field was named:
PMT_EDIT_RIC_CD.

DB2 ALIAS : PMT_EDIT_RIC_CD
SAS ALIAS : PE_RIC
STANDARD ALIAS : NCH_PMT_EDIT_RIC_CD
TITLE ALIAS : NCH_PAYMENT_EDIT_RIC

LENGTH : 1
SOURCE : NCH QA Process
CODE TABLE : PMT_EDIT_RIC_TB

32. Claim Transaction Code 1 135 135 CHAR

of claim

The code derived by CWF to indicate the type
submitted by an institutional provider.

DB2 ALIAS : CLM_TRANS_CD
SAS ALIAS : TRANS_CD
STANDARD ALIAS : CLM_TRANS_CD
TITLE ALIAS : TRANSACTION_CODE

LENGTH : 1
SOURCE : CWF

LIMITATIONS :

REFER TO :
CLM_TRANS_CD_LIM

CODE TABLE : CLM_TRANS_TB

33. Claim Bill Type Group 2 136 137 GRP

type code plus
(The first two
the Version H
throughout history.

Effective with Version H, the claim facility
the claim service classification type code.
positions of the ('type of bill'). During
conversion, this grouping was created

NOTE: Effective 4/1/2002, TOB code 'XX0'

was

implemented to identify those claims that are totally non-covered.

STANDARD ALIAS : CLM_BILL_TYPE_CD_GRP

CODE TABLE : CLM_BILL_TYPE_TB

34. Claim Facility Type Code 1 136 136 CHAR

submitted on an of facility

The first digit of the type of bill (TOB1) institutional claim used to identify the type that provided care to the beneficiary.

COMMON ALIAS : TOB1
DB2 ALIAS : CLM_FAC_TYPE_CD
SAS ALIAS : FAC_TYPE
STANDARD ALIAS : CLM_FAC_TYPE_CD
TITLE ALIAS : TOB1

LENGTH : 1

SOURCE : CWF

CODE TABLE : CLM_FAC_TYPE_TB

35. Claim Service Classification Type Code 1 137 137 CHAR

submitted on an classification of beneficiary.

The second digit of the type of bill (TOB2) institutional claim record to indicate the the type of service provided to the

COMMON ALIAS : TOB2
DB2 ALIAS : SRVC_CLSFCTN_CD
SAS ALIAS : TYPESRVC
STANDARD ALIAS : CLM_SRVC_CLSFCTN_TYPE_CD
TITLE ALIAS : TOB2

LENGTH : 1

SOURCE : CWF

CODE TABLE : CLM_SRVC_CLSFCTN_TYPE_TB

36. Claim Frequency Code 1 138 138 CHAR

submitted on an sequence of a care.

The third digit of the type of bill (TOB3) institutional claim record to indicate the claim in the beneficiary's current episode of

COMMON ALIAS : TOB3
DB2 ALIAS : CLM_FREQ_CD
SAS ALIAS : FREQ_CD
STANDARD ALIAS : CLM_FREQ_CD
TITLE ALIAS : FREQUENCY_CD

LENGTH : 1

SOURCE : CWF

CODE TABLE : CLM_FREQ_TB

37. FILLER 1 139 139 CHAR

DB2 ALIAS : FILLER

LENGTH : 1

38. NCH MQA Query Patch Code 1 140 140 CHAR

internal editing
changed the

10/3/97 this
processed
field.

39. Claim Disposition Code 2 141 142

the processing

Effective with Version H, a code used (for purposes) to indicate that the CWFMQA process query code submitted on the claim record.

NOTE: Beginning with NCH weekly process date field was populated with data. Claims prior to 10/3/97 will contain spaces in this

DB2 ALIAS : MQA_QUERY_PATCH_CD
SAS ALIAS : MQAQUERY
STANDARD ALIAS : NCH_MQA_QUERY_PATCH_CD
TITLE ALIAS : MQA_QUERY_PATCH_IND

LENGTH : 1
SOURCE : NCH QA Process
CODE TABLE : NCH_MQA_QUERY_PATCH_TB

CHAR
Code indicating the disposition or outcome of the claim record.

DB2 ALIAS : CLM_DISP_CD
SAS ALIAS : DISP_CD
STANDARD ALIAS : CLM_DISP_CD
TITLE ALIAS : DISPOSITION_CD

LENGTH : 2
SOURCE : CWF
CODE TABLE : CLM_DISP_TB

40. NCH Edit Disposition Code 2 143 144

internal editing
claim after

10/3/97 this
processed prior

Effective with Version H, a code used (for purposes) to indicate the disposition of the editing in the CWFMQA process.

NOTE: Beginning with NCH weekly process date field was populated with data. Claims to 10/3/97 will contain spaces in this field.

DB2 ALIAS : NCH_EDIT_DISP_CD
SAS ALIAS : EDITDISP
STANDARD ALIAS : NCH_EDIT_DISP_CD
TITLE ALIAS : NCH_EDIT_DISP

LENGTH : 2
SOURCE : NCH QA Process
CODE TABLE : NCH_EDIT_DISP_TB

41. NCH Claim BIC Modify H Code 1 145 145

internal
that was
BIC.

10/3/97 this

Effective with Version H, the code used (for editing purposes) to identify a claim record submitted with an incorrect HA, HB, or HC

NOTE: Beginning with NCH weekly process date

processed
field.

field was populated with data. Claims
prior to 10/3/97 will contain spaces in this

DB2 ALIAS : NCH_BIC_MDFY_CD
SAS ALIAS : BIC_MDFY
STANDARD ALIAS : NCH_CLM_BIC_MDFY_CD
TITLE ALIAS : BIC_MODIFY_CD

LENGTH : 1

SOURCE : NCH QA Process

CODE TABLE : NCH_CLM_BIC_MDFY_TB

42. Beneficiary Residence SSA Standard County Code
3 146 148 CHAR

beneficiary's residence.

The SSA standard county code of a

DB2 ALIAS : BENE_SSA_CNTY_CD
SAS ALIAS : CNTY_CD
STANDARD ALIAS : BENE_RSDNC_SSA_STD_CNTY_CD
TITLE ALIAS : BENE_COUNTY_CD

LENGTH : 3

SOURCE : SSA/EDB

EDIT RULES :
OPTIONAL: MAY BE BLANK

43. FI Claim Receipt Date
8 149 156 NUM

The date the fiscal intermediary received the
institutional claim from the provider.

DB2 ALIAS : FI_CLM_RCPT_DT
SAS ALIAS : RCPT_DT
STANDARD ALIAS : FI_CLM_RCPT_DT
TITLE ALIAS : RECEIPT_DT

LENGTH : 8 SIGNED : N

COMMENTS :
Prior to Version H this field was named:
FICARR_CLM_RCPT_DT.

SOURCE : CWF

EDIT RULES :
YYYYMMDD

44. FI Claim Scheduled Payment Date
8 157 164 NUM

The scheduled date of payment to the institu-
tional provider, as reflected on the claim
record transmitted to the CWF host. Note:
This date is considered to be the date paid
since no additional information as to the
actual payment date is available.

DB2 ALIAS : FI_SCHLD_PMT_DT
SAS ALIAS : SCHLD_DT
STANDARD ALIAS : FI_CLM_SCHLD_PMT_DT
TITLE ALIAS : SCHEDULED_PMT_DT

LENGTH : 8 SIGNED : N

COMMENTS :
Prior to Version H this field was named:
FICARR_CLM_PMT_DT.

SOURCE : CWF

EDIT RULES :
YYYYMMDD

<p>45. CWF Forwarded Date</p> <p>forwarded the claim purposes).</p> <p>10/3/97 this processed field.</p>	<p>8 165 172</p>	<p>NUM</p> <p>Effective with Version H, the date CWF record to CMS (used for internal editing</p> <p>NOTE: Beginning with NCH weekly process date field was populated with data. Claims prior to 10/3/97 will contain zeroes in this</p> <p>DB2 ALIAS : CWF_FRWRD_DT SAS ALIAS : FRWRD_DT STANDARD ALIAS : CWF_FRWRD_DT TITLE ALIAS : FORWARD_DT</p> <p>LENGTH : 8 SIGNED : N</p> <p>SOURCE : CWF</p> <p>EDIT RULES : YYYYMMDD</p>
<p>46. FI Number</p> <p>a fiscal institutional claim</p> <p>Administrative existing institu- its</p> <p>housed in transition contain</p> <p>MAC</p>	<p>5 173 177</p>	<p>CHAR</p> <p>The identification number assigned by CMS to intermediary authorized to process records.</p> <p>Effective October 2006, the Medicare Contractors (MACs) began replacing the fiscal intermediaries and started processing tional claim records for states assigned to jurisdiction.</p> <p>NOTE: The 5-position MAC number will be the existing FI_NUM field. During the from an FI to a MAC the FI_NUM field could either a FI number or a MAC number. See the FI_NUM table of codes to identify the new numbers and their effective dates.</p> <p>DB2 ALIAS : FI_NUM SAS ALIAS : FI_NUM STANDARD ALIAS : FI_NUM TITLE ALIAS : INTERMEDIARY</p> <p>LENGTH : 5</p> <p>COMMENTS : Prior to Version H this field was named: FICARR_IDENT_NUM.</p> <p>SOURCE : CWF</p> <p>CODE TABLE : FI_NUM_TB</p>
<p>47. CWF Claim Assigned Number</p>	<p>8 178 185</p>	<p>CHAR</p> <p>Effective with Version H, the number assigned to an institutional claim record by CWF (used for internal editing purposes).</p> <p>NOTE: Beginning with NCH weekly process date</p>

10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain spaces in this field.

DB2 ALIAS : CWF_CLM_ASGN_NUM
SAS ALIAS : ASGN_NUM
STANDARD ALIAS : CWF_CLM_ASGN_NUM
TITLE ALIAS : ASSIGNED_NUM

LENGTH : 8

SOURCE : CWF

48. CWF Transmission Batch Number 4 186 189

CHAR

from

Effective with Version H, the number assigned to each batch of claims transactions sent

CWF(used for internal editing purposes).

NOTE: Beginning 11/98, this field will be populated with data. Claims processed prior to 11/98 will contain spaces in this field.

DB2 ALIAS : TRNSMSN_BATCH_NUM
SAS ALIAS : FIBATCH
STANDARD ALIAS : CWF_TRNSMSN_BATCH_NUM
TITLE ALIAS : BATCH_NUM

LENGTH : 4

SOURCE : CWF

49. Beneficiary Mailing Contact ZIP Code 9 190 198

CHAR

the

The ZIP code of the mailing address where beneficiary may be contacted.

DB2 ALIAS : BENE_MLG_ZIP_CD
SAS ALIAS : BENE_ZIP
STANDARD ALIAS : BENE_MLG_CNTCT_ZIP_CD
TITLE ALIAS : BENE_ZIP

LENGTH : 9

SOURCE : EDB

50. Beneficiary Sex Identification Code 1 199 199

CHAR

The sex of a beneficiary.

COMMON ALIAS : SEX_CD
DA3 ALIAS : SEX_CODE
DB2 ALIAS : BENE_SEX_IDENT_CD
SAS ALIAS : SEX
STANDARD ALIAS : BENE_SEX_IDENT_CD
TITLE ALIAS : SEX_CD

LENGTH : 1

SOURCE : SSA,RRB,EDB

EDIT RULES :
REQUIRED FIELD

CODE TABLE : BENE_SEX_IDENT_TB

51. Beneficiary Race Code 1 200 200

CHAR

The race of a beneficiary.

DA3 ALIAS : RACE_CODE
DB2 ALIAS : BENE_RACE_CD
SAS ALIAS : RACE
STANDARD ALIAS : BENE_RACE_CD

TITLE ALIAS : RACE_CD
 LENGTH : 1
 SOURCE : SSA
 CODE TABLE : BENE_RACE_TB

52. Beneficiary Birth Date 8 201 208 NUM

The beneficiary's date of birth.

COMMON ALIAS : DOB
 DA3 ALIAS : BIRTH_DATE
 DB2 ALIAS : BENE_BIRTH_DT
 SAS ALIAS : BENE_DOB
 STANDARD ALIAS : BENE_BIRTH_DT
 TITLE ALIAS : BENE_BIRTH_DATE

LENGTH : 8 SIGNED : N

SOURCE : CWF

EDIT RULES :
 YYYYMMDD

53. CWF Beneficiary Medicare Status Code 2 209 210 CHAR

The CWF-derived reason for a beneficiary's entitlement to Medicare benefits, as of the reference date (CLM_THRU_DT).

COBOL ALIAS : MSC
 COMMON ALIAS : MSC
 DB2 ALIAS : BENE_MDCR_STUS_CD
 SAS ALIAS : MS_CD
 STANDARD ALIAS : CWF_BENE_MDCR_STUS_CD
 TITLE ALIAS : MSC

LENGTH : 2

DERIVATIONS :
 CWF derives MSC from the following:

1. Date of Birth
2. Claim Through Date
3. Original/Current Reasons for

4. ESRD Indicator
5. Beneficiary Claim Number

Items 1,3,4,5 come from the CWF Beneficiary Master Record; item 2 comes from the

claim record. MSC is assigned as follows:

entitlement

FI/Carrier

MSC	OASI	DIB	ESRD	AGE
10	YES	N/A	NO	65 and over
11	YES	N/A	YES	65 and over
20	NO	YES	NO	under 65
21	NO	YES	YES	under 65
31	NO	NO	YES	any age

N/A

N/A

N/A

N/A

T.

COMMENTS :
 Prior to Version H this field was named: BENE_MDCR_STUS_CD. The name has been changed to distinguish this CWF-derived field from

the

EDB-derived MSC (BENE_MDCR_STUS_CD).

SOURCE : CWF

CODE TABLE : BENE_MDCR_STUS_TB

54. Claim Patient 6 Position Surname
6 211 216 CHAR

patient's
provider
only

The first 6 positions of the Medicare
surname (last name) as reported by the
on the claim.

NOTE1: Prior to Version H, this field was
present on the IP/SNF claim record.
Effective with Version H, this field is
present on all claim types.

NOTE2: For OP, HHA, Hospice and all Carrier
claims, data was populated beginning
with NCH weekly process 10/3/97. Claims
processed prior to 10/3/97 will contain
spaces in this field.

COMMON ALIAS : PATIENT_SURNAME
DB2 ALIAS : PTNT_6_PSTN_SSRNM
SAS ALIAS : SURNAME
STANDARD ALIAS : CLM_PTNT_6_PSTN_SSRNM_NAME
TITLE ALIAS : PATIENT_SURNAME

LENGTH : 6
SOURCE : CWF

55. Claim Patient 1st Initial Given Name
1 217 217 CHAR

only
claims,

The first initial of the Medicare patient's
given name (first name) as reported by the
provider on the claim.

NOTE1: Prior to Version H, this field was
present on the IP/SNF claim record.
Effective with Version H, this field
is present on all claim types.

NOTE2: For OP, HHA, Hospice and all Carrier
data was populated beginning with NCH
weekly process date 10/3/97. Claims
processed prior to 10/3/97 will contain
spaces in this field.

COMMON ALIAS : PATIENT_GIVEN_NAME
DB2 ALIAS : 1ST_INITL_GVN_NAME
SAS ALIAS : FRSTINIT
STANDARD ALIAS : CLM_PTNT_1ST_INITL_GVN_NAME
TITLE ALIAS : PATIENT_FIRST_INITIAL

LENGTH : 1
SOURCE : CWF

56. Claim Patient First Initial Middle Name
1 218 218 CHAR

only
claims,

The first initial of the Medicare patient's
middle name as reported by the provider on
the claim.

NOTE1: Prior to Version H, this field was
present on the IP/SNF claim record.
Effective with Version H, this field is
present on all claim types.

NOTE2: For OP, HHA, Hospice and all Carrier
data was populated beginning with NCH
weekly process date 10/3/97. Claims pro-
cessed prior to 10/3/97 will contain
spaces in this field.

COMMON ALIAS : PATIENT_MIDDLE_NAME
DB2 ALIAS : 1ST_INITL_MDL_NAME
SAS ALIAS : MDL_INIT
STANDARD ALIAS : CLM_PTNT_1ST_INITL_MDL_NAME
TITLE ALIAS : PATIENT_MIDDLE_INITIAL

LENGTH : 1

SOURCE : CWF

57. Beneficiary CWF Location Code
1 219 219

File
beneficiary's

CHAR
The code that identifies the Common Working
(CWF) location (the host site) where a
Medicare utilization records are maintained.

COMMON ALIAS : CWF_HOST
DB2 ALIAS : BENE_CWF_LOC_CD
SAS ALIAS : CWFLOCCD
STANDARD ALIAS : BENE_CWF_LOC_CD
TITLE ALIAS : CWF_HOST

LENGTH : 1

SOURCE : CWF

CODE TABLE : BENE_CWF_LOC_TB

58. Claim Principal Diagnosis Code
5 220 224

diagnosis,
medical record to be
provided.

is also
the diagnosis

CHAR
The ICD-9-CM diagnosis code identifying the
condition, problem or other reason for the
admission/encounter/visit shown in the
chiefly responsible for the services

NOTE: Effective with Version H, this data
redundantly stored as the first occurrence of
trailer.

DB2 ALIAS : PRNCPAL_DGNS_CD
SAS ALIAS : PDGNS_CD
STANDARD ALIAS : CLM_PRNCPAL_DGNS_CD
TITLE ALIAS : PRINCIPAL_DIAGNOSIS

LENGTH : 5

SOURCE : CWF

EDIT RULES :
ICD-9-CM

59. FILLER
1 225 225

CHAR
DB2 ALIAS : FILLER
LENGTH : 1

60. Claim Medicare Non Payment Reason Code
1 226 226

for
was
institutional

CHAR
The reason that no Medicare payment is made
services on an institutional claim.
NOTE: Effective with Version I, this field
put on all institutional claim types.
NOTE1: This field was put on all
claim types but data did not start coming in

on
4/1/02,

values.
current
the

OP/HHA/Hospice until 4/1/02. Prior to
data only came in Inpatient/SNF claims.
NOTE2: Effective 4/1/02, this field was also
expanded to two bytes to accommodate new
The NCH Nearline file did not expand the
1-byte field but instituted a crosswalk of
2-byte field to the 1-byte character value.
See table of code for the crosswalk.

DB2 ALIAS : MDCR_NPMT_RSN_CD
SAS ALIAS : NOPAY_CD
STANDARD ALIAS : CLM_MDCR_NPMT_RSN_CD
TITLE ALIAS : NON_PAYMENT_REASON

LENGTH : 1

SOURCE : CWF

EDIT RULES :
OPTIONAL

CODE TABLE : CLM_MDCR_NPMT_RSN_TB

61. Claim Excepted/Nonexcepted Medical Treatment
1 227 227

Code
CHAR

identify
received

(RNHCI),
medical care
or is re-
Nonexcepted is
than excepted.

Effective with Version I, the code used to
whether or not the medical care or treatment
by a beneficiary, who has elected care from a
Religious Nonmedical Health Care Institution
is excepted or nonexcepted. Excepted is
or treatment that is received involuntarily
quired under Federal, State or local law.
defined as medical care or treatment other

DB2 ALIAS : EXCPTD_NEXCPTD_CD
SAS ALIAS : TRTMT_CD
STANDARD ALIAS : CLM_EXCPTD_NEXCPTD_TRTMT_CD
TITLE ALIAS : EXCPTD_NEXCPTD_CD

LENGTH : 1

SOURCE : CWF

CODE TABLE : CLM_EXCPTD_NEXCPTD_TRTMT_TB

62. Claim Payment Amount
6 228 233

PACK

trust fund for the
Generally, the amount
represents what was
physician, or supplier,
some
may be pre-
the full
deductible exceeded
beneficiary is

Amount of payment made from the Medicare
services covered by the claim record.
is calculated by the FI or carrier; and
paid to the institutional provider,
with the exceptions noted below. **NOTE: In
situations, a negative claim payment amount
sent; e.g., (1) when a beneficiary is charged
deductible during a short stay and the
the amount Medicare pays; or (2) when a
charged a coinsurance amount during a long

stay and the Medicare pays (most who are paid a charges are.)

paid based on DRG patient On the IP DRG outlier share (since 10/1/88), total the payment add-on amount. (i.e., capital-costs, kidney beneficiary-paid or any

services are paid using the and the PRICER payment is operating and routine and adjusted for wage, transfers, and high adjustments could certain pass-education payer reim-scope of PPS.

services are paid based on the based on a inpatient operating and ancillary through costs new technologies the payment interrupted stays,

coinsurance amount exceeds the amount prevalent situation involves psych hospitals daily per diem rate no matter what the

Under IP PPS, inpatient hospital services are a predetermined rate per discharge, using the classification system and the PRICER program. PPS claim, the payment amount includes the approved payment amount, disproportionate 5/1/86), indirect medical education (since PPS capital (since 10/1/91). After 4/1/03, amount could also include a "new technology" It does NOT include the pass-thru amounts related costs, direct medical education acquisition costs, bad debts); or any amounts (i.e., deductibles and coinsurance); any other payer reimbursement.

Under IRFPPS, inpatient rehabilitation based on a predetermined rate per discharge, Case Mix Group (CMG) classification system program. From the CMG on the IRF PPS claim, based on a standard payment amount for capital cost for that facility (including ancillary services). The payment is the % of low-income patients (LIP), locality, interrupted stays, short stay cases, deaths, cost outliers. Some or all of these apply. The CMG payment does NOT include through costs (i.e. bad debts, approved activities); beneficiary-paid amounts, other bursement, and other services outside of the

Under LTCH PPS, long term care hospital based on a predetermined rate per discharge DRG and the PRICER program. Payments are single standard Federal rate for both and capital-related costs (including routine services), but do NOT include certain pass-(i.e. bad debts, direct medical education, and blood clotting factors). Adjustments to may occur due to short-stay outliers,

living adjust-

beneficiaries using the
III. For the
calculate/return the rate
revenue center code =
count; and then
revenue center
payment amount.

payment
for each APC
claim payment.
payment and

classified into
Home Health
generated
(HHRG).

payment amount
60% (for first
the case mix
index adjusted.

of the amount
an adjustment
full. Although
the provider will
payment may

BBA encounter
not just

contain
special
payment system

'claims'
FFS,

actual

high cost outliers, wage index, and cost of
ments.

Under SNF PPS, SNFs will classify
patient classification system known as RUGS
SNF PPS claim, the SNF PRICER will
for each revenue center line item with
'0022'; multiply the rate times the units
sum the amount payable for all lines with
code '0022' to determine the total claim

Under Outpatient PPS, the national ambulatory
classification (APC) rate that is calculated
group is the basis for determining the total
The payment amount also includes the outlier
interest.

Under Home Health PPS, beneficiaries will be
an appropriate case mix category known as the
Resource Group. A HIPPS code is then
corresponding to the case mix category

For the RAP, the PRICER will determine the
appropriate to the HIPPS code by computing
episode) or 50% (for subsequent episodes) of
episode payment. The payment is then wage

For the final claim, PRICER calculates 100%
due, because the final claim is processed as
to the RAP, reversing the RAP payment in
final claim will show 100% payment amount,
actually receive the 40% or 50% payment. The
also include outlier payments.

Exceptions: For claims involving demos and
data, the amount reported in this field may
represent the actual provider payment.

For demo Ids '01','02','03','04' -- claims
amount paid to the provider, except that
'differentials' paid outside the normal
are not included.

For demo Ids '05','15' -- encounter data
contain amount Medicare would have paid under
instead of the actual payment to the MCO.

For demo Ids '06','07','08' -- claims contain

negotiated
services.
Part A
'Y4'. The
claims
been no

'claims' contain
instead of

was S9(7)V99. Also,
this field as a line
is a claim level
item field has been

and
Medicare
consideration
erroneous
30% of
over

63. NCH Primary Payer Claim Paid Amount
6 234 239

Medicare
Medicare, that the
charges on an

provider payment but represent a special
bundled payment for both Part A and Part B
To identify what the conventional provider
payment would have been, check value code =
related noninstitutional (physician/supplier)
contain what would have been paid had there
demo.

For BBA encounter data (non-demo) --
amount Medicare would have paid under FFS,
the actual payment to the BBA plan.

COMMON ALIAS : REIMBURSEMENT
DB2 ALIAS : CLM_PMT_AMT
SAS ALIAS : PMT_AMT
STANDARD ALIAS : CLM_PMT_AMT
TITLE ALIAS : REIMBURSEMENT

LENGTH : 9.2 SIGNED : Y

COMMENTS :
Prior to Version H the size of this field
the noninstitutional claim records carried
item. Effective with Version H, this element
field across all claim types (and the line
renamed.)

SOURCE : CWF

LIMITATIONS :
Prior to 4/6/93, on inpatient, outpatient,
physician/supplier claims containing a
CLM_DISP_CD of '02', the amount shown as the
reimbursement does not take into
any CWF automatic adjustments (involving
deductibles in most cases). In as many as
the claims (30% IP, 15% OP, 5% PART B), the
reimbursement reported on the claims may be
or under the actual Medicare payment amount.

REFER TO :
PMT_AMT_EXCEDG_CHRG_AMT_LIM

EDIT RULES :
\$\$\$\$\$\$\$\$\$CC

PACK

The amount of a payment made on behalf of a
beneficiary by a primary payer other than
provider is applying to covered Medicare
institutional, carrier, or DMERC claim.

DB2 ALIAS : PRMRY_PYR_PD_AMT
STANDARD ALIAS : NCH_PRMRY_PYR_CLM_PD_AMT
TITLE ALIAS : PRIMARY_PAYER_AMOUNT

LENGTH : 9.2 SIGNED : Y

COMMENTS :
Prior to Version H this field was named:
BENE_PRMRY_PYR_CLM_PMT_AMT and the field size
was S9(7)V99.

SOURCE : NCH

EDIT RULES :
\$\$\$\$\$\$\$\$\$CC

64. NCH Primary Payer Code 1 240 240 CHAR

specifying a federal
primary
Medicare beneficiary's

The code, on an institutional claim,
non-Medicare program or other source that has
responsibility for the payment of the
health insurance bills.

DB2 ALIAS : NCH_PRMRY_PYR_CD
SAS ALIAS : PRPAY_CD
STANDARD ALIAS : NCH_PRMRY_PYR_CD
TITLE ALIAS : PRIMARY_PAYER_CD

LENGTH : 1

DERIVATIONS :
DERIVED FROM:
CLM_VAL_CD
CLM_VAL_AMT

DERIVATION RULES

SET NCH_PRMRY_PYR_CD TO 'A' WHERE THE
CLM_VAL_CD = '12'

SET NCH_PRMRY_PYR_CD TO 'B' WHERE THE
CLM_VAL_CD = '13'

SET NCH_PRMRY_PYR_CD TO 'C' WHERE THE
CLM_VAL_CD = '16' and CLM_VAL_AMT is zeroes

SET NCH_PRMRY_PYR_CD TO 'D' WHERE THE
CLM_VAL_CD = '14'

SET NCH_PRMRY_PYR_CD TO 'E' WHERE THE
CLM_VAL_CD = '15'

SET NCH_PRMRY_PYR_CD TO 'F' WHERE THE
CLM_VAL_CD = '16' (CLM_VAL_AMT not
equal to zeroes)

SET NCH_PRMRY_PYR_CD TO 'G' WHERE THE
CLM_VAL_CD = '43'

SET NCH_PRMRY_PYR_CD TO 'H' WHERE THE
CLM_VAL_CD = '41'

SET NCH_PRMRY_PYR_CD TO 'I' WHERE THE
CLM_VAL_CD = '42'

SET NCH_PRMRY_PYR_CD TO 'L' (or prior to
set code to 'J') WHERE THE CLM_VAL_CD =

4/97
'47'

COMMENTS :
Prior to Version H this field was named:
BENE_PRMRY_PYR_CD.

SOURCE : NCH

CODE TABLE : BENE_PRMRY_PYR_TB

65. FI Requested Claim Cancel Reason Code 1 241 241 CHAR

The reason that an intermediary requested

cancelling

a previously submitted institutional claim.

DB2 ALIAS : RQST_CNCL_RSN_CD
SAS ALIAS : CANCELCD
STANDARD ALIAS : FI_RQST_CLM_CNCL_RSN_CD
TITLE ALIAS : CANCEL_CD

LENGTH : 1

COMMENTS :
Prior to Version H this field was named:
INTRMDRY_RQST_CLM_CNCL_RSN_CD.

SOURCE : CWF

CODE TABLE : FI_RQST_CLM_CNCL_RSN_TB

66. FI Claim Action Code 1 242 242

CHAR

intermediary

The type of action requested by the
to be taken on an institutional claim.

DB2 ALIAS : FI_CLM_ACTN_CD
SAS ALIAS : ACTIONCD
STANDARD ALIAS : FI_CLM_ACTN_CD
TITLE ALIAS : ACTION_CD

LENGTH : 1

COMMENTS :
Prior to Version H this field was named:
INTRMDRY_CLM_ACTN_CD.

SOURCE : CWF

CODE TABLE : FI_CLM_ACTN_TB

67. FI Claim Process Date 8 243 250

NUM

The date the fiscal intermediary completes
processing and releases the institutional
claim to the CWF host.

DB2 ALIAS : FI_CLM_PROC_DT
SAS ALIAS : APRVL_DT
STANDARD ALIAS : FI_CLM_PROC_DT
TITLE ALIAS : FI_PROCESS_DT

LENGTH : 8 SIGNED : N

SOURCE : CWF

EDIT RULES :
YYYYMMDD

68. NCH Provider State Code 2 251 252

CHAR

SSA state code

Effective with Version H, the two position
where provider facility is located.

field was

NOTE: During the Version H conversion this
populated with data throughout history (back
1991).

to service year

DB2 ALIAS : NCH_PRVDR_STATE_CD
SAS ALIAS : PRSTATE
STANDARD ALIAS : NCH_PRVDR_STATE_CD
TITLE ALIAS : PROVIDER_STATE_CD

LENGTH : 2

DERIVATIONS :
DERIVED FROM:

NCH_PRVDR_NUM

DERIVATION RULES:

```

SET NCH_PRVDR_STATE_CD TO
  PRVDR_NUM POS1-2.
FOR PRVDR_NUM POS1-2 EQUAL '55' OR '75'
  SET NCH_PRVDR_STATE_CD TO '05'.
FOR PRVDR_NUM POS1-2 EQUAL '67' OR '74'
  SET NCH_PRVDR_STATE_CD TO '45'.
FOR PRVDR_NUM POS1-2 EQUAL '68' OR '69'
  SET NCH_PRVDR_STATE_CD TO '10'.
FOR PRVDR_NUM POS1-2 EQUAL '78'
  SET NCH_PRVDR_STATE_CD TO '14'.
FOR PRVDR_NUM POS1-2 EQUAL TO '76'
  SET NCH_PRVDR_STATE_CD TO '16'.
FOR PRVDR_NUM POS1-2 EQUAL '70'
  SET NCH_PRVDR_STATE_CD TO '17'.
FOR PRVDR_NUM POS1-2 EQUAL '71'
  SET NCH_PRVDR_STATE_CD TO '19'.
FOR PRVDR_NUMBER POS1-2 EQUAL '77'
  SET NCH_PRVDR_STATE_CD TO '24'.
FOR PRVDR_NUM POS1-2 EQUAL TO '72'
  SET NCH_PRVDR_STATE_CD TO '36'.
FOR PRVDR_NUM POS1-2 EQUAL TO '73'
  SET NCH_PRVDR_STATE_CD TO '39'.

```

SOURCE : NCH

CODE TABLE : GEO_SSA_STATE_TB

69. Organization NPI Number 10 253 262 CHAR

provider
the

On an institutional claim, the National Provider Identifier (NPI) number assigned to uniquely identify the institutional

certified by Medicare to provide services to beneficiary.

NPIs

NOTE: Effective May 2007, the NPI will become the national standard identifier for covered health care providers. NPIs will replace current OSCAR provider number, UPINs, NSC numbers, and local contractor provider identification numbers (PINs) on standard HIPPA claim transactions. (During the NPI transition phase (4/3/06 - 5/23/07) the capability was there for the NCH to receive

along with an existing legacy number (UPIN, PIN, OSCAR provider number, etc.)).

main-
claim

NOTE1: CMS has determined that dual provider identifiers (old legacy numbers and new NPI) must be available in the NCH. After the 5/07 NPI implementation, the standard system

currently

maintainers will add the legacy number to the when it is adjudicated. We will continue to receive the OSCAR provider number and any

UPINs

issued UPINs. Effective May 2007, no NEW (legacy number) will be generated for NEW physicians (Part B and outpatient claims), so there will only be NPIs sent in to the

NCH

for those physicians.

```

DB2      ALIAS : ORG_NPI_NUM
SAS      ALIAS : ORGNPINM
STANDARD ALIAS : ORG_NPI_NUM
TITLE    ALIAS : ORG_NPI

```

LENGTH : 10

SOURCE : CWF

70. Attending Physician ID Group 24 263 286 GRP

Name and identification numbers associated with the primary care physician.

71. Claim Attending Physician UPIN Number 6 263 268 CHAR

physician
services
responsibility for

On an institutional claim, the unique identification number (UPIN) of the physician who would normally be expected to certify and recertify the medical necessity of the rendered and/or who has primary the beneficiary's medical care and treatment (attending physician).

COMMON ALIAS : ATTENDING_PHYSICIAN_UPIN
DB2 ALIAS : ATNDG_UPIN_NUM
SAS ALIAS : AT_UPIN
STANDARD ALIAS : CLM_ATNDG_PHYSN_UPIN_NUM
TITLE ALIAS : ATTENDING_PHYSICIAN

LENGTH : 6

COMMENTS :
Prior to Version H this field was named: CLM_PRMRY_CARE_PHYSN_IDENT_NUM and contained 10 positions (6-position UPIN and 4-position physician surname).

SOURCE : CWF

72. Claim Attending Physician NPI Number 10 269 278 CHAR

NPIs

On an institutional claim, the national provider identifier (NPI) number assigned to uniquely identify the physician who has overall responsibility for the beneficiary's care and treatment.

NOTE: Effective May 2007, the NPI will become the national standard identifier for covered health care providers. NPIs will replace current OSCAR provider number, UPINs, NSC numbers, and local contractor provider identification numbers (PINs) on standard HIPPA claim transactions. (During the NPI transition phase (4/3/06 - 5/23/07) the capability was there for the NCH to receive

claim

along with an existing legacy number (UPIN, PIN, OSCAR provider number, etc.)).

currently

NOTE1: CMS has determined that dual provider identifiers (old legacy numbers and new NPI) must be available in the NCH. After the 5/07 NPI implementation, the standard system maintainers will add the legacy number to the

UPINs

when it is adjudicated. We will continue to receive the OSCAR provider number and any

NCH

issued UPINs. Effective May 2007, no NEW

(legacy number) will be generated for NEW physicians (Part B and Outpatient claims), so there will only be NPIs sent in to the

for those physicians.

COMMON ALIAS : ATTENDING_PHYSICIAN_NPI
DB2 ALIAS : ATNDG_NPI_NUM
SAS ALIAS : AT_NPI
STANDARD ALIAS : CLM_ATNDG_PHYSN_NPI_NUM

				TITLE	ALIAS : ATNDG_NPI
				LENGTH	: 10
				SOURCE	: CWF
73.	Claim Attending Physician Surname	6	279	284	CHAR
the					Effective with Version H, the last name of
editing					attending physician (used for internal
					purpose in CMS' CWFMQA system.)
contain					NOTE: Beginning with NCH weekly process date
					10/3/97 this field was populated with data.
					Claims processed prior to 10/3/97 will
					spaces in this field.
				DB2	ALIAS : ATNDG_SRNM
				SAS	ALIAS : AT_SRNM
				STANDARD	ALIAS : CLM_ATNDG_PHYSN_SRNM_NAME
				TITLE	ALIAS : ANDG_PHYSN_SURNAME
				LENGTH	: 6
				SOURCE	: CWF
74.	Claim Attending Physician Given Name	1	285	285	CHAR
the					Effective with Version H, the first name of
editing					attending physician (used for internal
					purposes in CMS' CWFMQA system).
contain					NOTE: Beginning with NCH weekly process date
					10/3/97 this field was populated with data.
					Claims processed prior to 10/3/97 will
					spaces in this field.
				DB2	ALIAS : ATNDG_GVN_NAME
				SAS	ALIAS : AT_GVNNM
				STANDARD	ALIAS : CLM_ATNDG_PHYSN_GVN_NAME
				TITLE	ALIAS : ATNDG_PHYSN_FIRSTNAME
				LENGTH	: 1
				SOURCE	: CWF
75.	Claim Attending Physician Middle Initial Name	1	286	286	CHAR
contain					Effective with Version H, the middle initial
					of the attending physician (used for internal
					editing purposes in CMS' CWFMQA system.)
					NOTE: Beginning with NCH weekly process date
					10/3/97 this field was populated with data.
					Claims processed prior to 10/3/97 will
					spaces in this field.
				DB2	ALIAS : ATNDG_MI_NAME
				SAS	ALIAS : AT_MDL
				STANDARD	ALIAS :
	CLM_ATNDG_PHYSN_MDL_INITL_NAME				TITLE
					ALIAS : ATNDG_PHYSN_MI
				LENGTH	: 1
				SOURCE	: CWF
76.	Operating Physician ID Group	24	287	310	GRP

principal

Name and identification numbers associated with the physician who performed the procedure.

STANDARD ALIAS : OPRTG_PHYSN_ID_GRP

77. Claim Operating Physician UPIN Number
6 287 292

CHAR

physician

On an institutional claim, the unique identification number (UPIN) of the physician who performed the principal procedure. This element is used by the provider to identify

the

operating physician who performed the surgical procedure.

DB2 ALIAS : OPRTG_UPIN
SAS ALIAS : OP_UPIN
STANDARD ALIAS : CLM_OPRTG_PHYSN_UPIN_NUM
TITLE ALIAS : OPRTG_UPIN

LENGTH : 6

COMMENTS :
Prior to Version H this field was named: CLM_PRNCPAL_PRCDR_PHYSN_NUM and contained 10 positions (6-position UPIN and 4-position physician surname.

field

NOTE: For HHA and Hospice formats beginning with NCH weekly process date 10/3/97 this was populated with data. HHA and Hospice processed prior to 10/3/97 will contain

claims

spaces.

SOURCE : CWF

78. Claim Operating Physician NPI Number
10 293 302

CHAR

Provider

On an institutional claim, the National Identifier (NPI) number assigned to uniquely identify the physician with the primary responsibility for performing the surgical procedure(s).

become

NOTE: Effective May 2007, the NPI will be the national standard identifier for covered health care providers. NPIs will replace the current OSCAR provider number, UPINs, NSC numbers, and local contractor provider

identi-

claim

phase

identification numbers (PINs) on standard HIPPA transactions. (During the NPI transition

provider

(4/3/06 - 5/23/07) the capability was there for the NCH to receive NPIs along with an existing legacy number (UPIN, PIN, OSCAR number, etc.)).

5/07

NOTE1: CMS has determined that dual provider identifiers (old legacy number and new NPI) must be available in the NCH. After the

maint-

claim

currently

NPI implementation, the standard system maintainers will add the legacy number to the claim when its adjudicated. We will continue to receive the OSCAR provider number and any issued UPINs. Effective May 2007, no NEW

UPINs

(legacy numbers) will be generated for NEW physicians (Part B and outpatient claims), so there will only be NPIs sent in to the NCH for those physicians.

DB2 ALIAS : OPRTG_NPI
SAS ALIAS : OP_NPI
STANDARD ALIAS : CLM_OPRTG_PHYSN_NPI_NUM
TITLE ALIAS : OPRTG_NPI

LENGTH : 10
SOURCE : CWF

79. Claim Operating Physician Surname
6 303 308

the
editing
date
contain

CHAR

Effective with Version H, the last name of operating physician (used for internal purposes in CMS' CWFMQA system.)

NOTE: Beginning with the NCH weekly process 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will spaces in this field.

DB2 ALIAS : OPRTG_SURNM
SAS ALIAS : OP_SURNM
STANDARD ALIAS : CLM_OPRTG_PHYSN_SURNM_NAME
TITLE ALIAS : OPRTG_PHYSN_SURNAME

LENGTH : 6
SOURCE : CWF

80. Claim Operating Physician Given Name
1 309 309

contain

CHAR

Effective with Version H, the first name of the operating physician (used for internal editing purposes in CMS' CWFMQA system.)

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will spaces in this field.

DB2 ALIAS : OPRTG_GVN_NAME
SAS ALIAS : OP_GVN
STANDARD ALIAS : CLM_OPRTG_PHYSN_GVN_NAME
TITLE ALIAS : OPRTG_PHYSN_FIRSTNAME

LENGTH : 1
SOURCE : CWF

81. Claim Operating Physician Middle Initial Name
1 310 310

contain

CHAR

Effective with Version H, the middle initial of the operating physician (used for internal editing purposes in CMS' CWFMQA system.)

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will spaces in this field.

DB2 ALIAS : OPRTG_MI_NAME
SAS ALIAS : OP_MDL
STANDARD ALIAS :
TITLE ALIAS : OPRTG_PHYSN_MI

CLM_OPRTG_PHYSN_MDL_INITL_NAME

LENGTH : 1
SOURCE : CWF

82. Other Physician ID Group 24 311 334 GRP

with the other

Name and identification numbers associated
physician.
STANDARD ALIAS : OTHR_PHYSN_ID_GRP

83. Claim Other Physician UPIN Number 6 311 316 CHAR

physician

On an institutional claim, the unique
identification number (UPIN) of the other
physician associated with the institutional
claim.
DB2 ALIAS : OTHR_UPIN
SAS ALIAS : OT_UPIN
STANDARD ALIAS : CLM_OTHR_PHYSN_UPIN_NUM
TITLE ALIAS : OTH_PHYSN_UPIN

LENGTH : 6

COMMENTS :
Prior to Version H this field was named:
CLM_OTHR_PHYSN_IDENT_NUM and contained
10 positions (6-position UPIN and 4-position
other physician surname).

field
claims
spaces.

NOTE: For HHA and Hospice formats beginning
with NCH weekly process date 10/3/97 this
was populated with data. HHA and Hospice
processed prior to 10/3/97 will contain

SOURCE : CWF

84. Claim Other Physician NPI Number 10 317 326 CHAR

NPIs

On an institutional claim, the National
Provider Identifier (NPI) number assigned
to uniquely identify the other physician
associated with the institutional claim.

NOTE: Effective May 2007, the NPI will be-
come the national standard identifier for
covered health care providers. NPIs will
replace current OSCAR provider number, UPINs,
NSC numbers, and local contractor provider
identification numbers (PINs) on standard
HIPPA claim transactions. (During the NPI
transition phase (4/3/06 - 5/23/07) the
capability was there for the NCH to receive

claim
currently
UPINs

along with an existing legacy number (UPIN,
PIN, OSCAR provider number, etc.)).

NOTE1: CMS has determined that dual provider
identifiers (old legacy numbers and new NPI)
must be available in the NCH. After the 5/07
NPI implementation, the standard system main-
tainers will add the legacy number to the

when it is adjudicated. We will continue to
receive the OSCAR provider number and any
issued UPINs. Effective May 2007, no NEW
(legacy number) will be generated for NEW
physicians (Part B AND outpatient claims),
so there will only be NPIs sent in to the

NCH

for those physicians.

DB2 ALIAS : OTHR_NPI
SAS ALIAS : OT_NPI
STANDARD ALIAS : CLM_OTHR_PHYSN_NPI_NUM

LENGTH : 10

SOURCE : CWF

85. Claim Other Physician Surname 6 327 332

the

date

contain

CHAR

Effective with Version H, the last name of other physician (used for internal editing purposes in CMS' CWFMQA system.)

NOTE: Beginning with the NCH weekly process 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will spaces in this field.

DB2 ALIAS : OTHR_SRNM
SAS ALIAS : OT_SRNM
STANDARD ALIAS : CLM_OTHR_PHYSN_SRNM_NAME
TITLE ALIAS : OTH_PHYSN_SURNAME

LENGTH : 6

SOURCE : CWF

86. Claim Other Physician Given Name 1 333 333

the

contain

CHAR

Effective with Version H, the first name of other physician (used for internal editing purposes in CMS' CWFMQA system.)

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will spaces in this field.

DB2 ALIAS : OTHR_GVN_NAME
SAS ALIAS : OT_GVN
STANDARD ALIAS : CLM_OTHR_PHYSN_GVN_NAME
TITLE ALIAS : OTH_PHYSN_FIRSTNAME

LENGTH : 1

SOURCE : CWF

87. Claim Other Physician Middle Initial Name 1 334 334

of

editing

contain

CHAR

Effective with Version H, the middle initial the other physician (used for internal purposes in CMS' CWFMQA system.)

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will spaces in this field.

DB2 ALIAS : OTHR_MI_NAME
SAS ALIAS : OT_MDL
STANDARD ALIAS :

TITLE ALIAS : OTH_PHYSN_MI

LENGTH : 1

CLM_OTHR_PHYSN_MDL_INITL_NAME

88. Medicaid Provider Identification Number
13 335 347

each provider by
provider number is
and to maintain
surveillance and

SOURCE : CWF

CHAR

A unique identification number assigned to the state Medicaid agency. This unique used to ensure proper payment of providers claims history on individual providers for utilization review.

DB2 ALIAS : MD CD_PRVDR_NUM
SAS ALIAS : MD CD_PRV
STANDARD ALIAS : MD CD_PRVDR_IDENT_NUM
TITLE ALIAS : MEDICAID_PROVIDER

LENGTH : 13

COMMENTS :
Prior to Version H the field size was X(12).

SOURCE : CWF

89. Claim Medicaid Information Code
4 348 351

Medicaid
Medicaid.

CHAR

Effective with Version G, code identifying information supplied by the contractor to

DB2 ALIAS : CLM_MD CD_INFO_CD
SAS ALIAS : MD CDINFO
STANDARD ALIAS : CLM_MD CD_INFO_CD
TITLE ALIAS : MEDICAID_INFO

LENGTH : 4

SOURCE : CWF

90. Claim MCO Paid Switch
1 352 352

Care
an

CHAR

A switch indicating whether or not a Managed Organization (MCO) has paid the provider for institutional claim.

COBOL ALIAS : MCO_PD_IND
DB2 ALIAS : CLM_MCO_PD_SW
SAS ALIAS : MCOPDSW
STANDARD ALIAS : CLM_MCO_PD_SW
TITLE ALIAS : MCO_PAID_SW

LENGTH : 1

COMMENTS :
Prior to Version H this field was named:
CLM_GHO_PD_SW.

SOURCE : CWF

LIMITATIONS :

REFER TO :
MCO_PD_SW_LIM

CODE TABLE : CLM_MCO_PD_TB

91. Claim Treatment Authorization Number
18 353 370

and

CHAR

The number assigned by the medical reviewer reported by the provider to identify the medical review (treatment authorization)

beneficiary's

payer.

to
the
string
OASIS

action taken after review of the
case. It designates that treatment covered
by the bill has been authorized by the
This number is used by the intermediary and
the Peer Review Organization.

NOTE: Under HH PPS this field will be used
link claims to the OASIS assessment used as
basis of payment. This eighteen character
consists of the start of care date, the
assessment date and the two digit reason for
assessment code.

COMMON ALIAS : TAN
DB2 ALIAS : TRTMT_AUTHRZTN_NUM
SAS ALIAS : AUTHRZTN
STANDARD ALIAS : CLM_TRTMT_AUTHRZTN_NUM
TITLE ALIAS : TREATMENT_AUTHORIZATION
LENGTH : 18
SOURCE : CWF

92. Patient Control Number 20 371 390

by the
facilitate
posting

CHAR
The unique alphanumeric identifier assigned
provider to the institutional claim to
retrieval of individual case records and
of payments.

DB2 ALIAS : PTNT_CNTL_NUM
SAS ALIAS : PTNTCNTL
STANDARD ALIAS : PTNT_CNTL_NUM
TITLE ALIAS : PATIENT_CONTROL_NUM
LENGTH : 20
SOURCE : CWF

93. Claim Medical Record Number 17 391 407

record

CHAR
The number assigned by the provider to the
beneficiary's medical record to assist in
retrieval.

DB2 ALIAS : CLM_MDCL_REC_NUM
SAS ALIAS : MDCL_REC
STANDARD ALIAS : CLM_MDCL_REC_NUM
TITLE ALIAS : MEDICAL_RECORD_NUM
LENGTH : 17
SOURCE : CWF

94. Claim PRO Control Number 12 408 419

identifier
(PRO)

CHAR
Effective with Version G, the unique
assigned by the Peer Review Organization
for control purposes.

DB2 ALIAS : CLM_PRO_CNTL_NUM
SAS ALIAS : PRO_CNTL
STANDARD ALIAS : CLM_PRO_CNTL_NUM
TITLE ALIAS : PRO_CONTROL_NUM
LENGTH : 12

				SOURCE	: CWF
95.	Claim PRO Process Date	8	420	427	NUM
was					Effective with Version H, the date the claim used in the PRO review process.
contain					NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will zeroes in this field.
				DB2	ALIAS : CLM_PRO_PROC_DT
				SAS	ALIAS : PRO_DT
				STANDARD	ALIAS : CLM_PRO_PROC_DT
				TITLE	ALIAS : PRO_PROC_DT
				LENGTH	: 8 SIGNED : N
				SOURCE	: CWF
				EDIT RULES :	YYYYMMDD
96.	Patient Discharge Status Code	2	428	429	CHAR
					The code used to identify the status of the patient as of the CLM_THRU_DT.
				DB2	ALIAS : PTNT_DSCHRG_STUS
				SAS	ALIAS : STUS_CD
				STANDARD	ALIAS : PTNT_DSCHRG_STUS_CD
				TITLE	ALIAS : PTNT_DSCHRG_STUS_CD
				LENGTH	: 2
				COMMENTS :	Prior to Version H this field was named: CLM_STUS_CD.
				SOURCE	: CWF
				CODE TABLE	: PTNT_DSCHRG_STUS_TB
97.	Claim Diagnosis E Code	5	430	434	CHAR
injury,					Effective with Version H, the ICD-9-CM code used to identify the external cause of poisoning, or other adverse affect.
Redundantly					this field is also stored as the last of the diagnosis trailer.
occurrence					NOTE: During the Version H conversion, the in the last occurrence of the diagnosis was used to populate history.
data					DB2
trailer					ALIAS : CLM_DGNS_E_CD
				SAS	ALIAS : DGNS_E
				STANDARD	ALIAS : CLM_DGNS_E_CD
				TITLE	ALIAS : DGNS_E_CD
				LENGTH	: 5
				SOURCE	: CWF
98.	FILLER	1	435	435	CHAR
					DB2
					ALIAS : FILLER
					LENGTH
					: 1

99. Claim PPS Indicator Code 1 436 436 CHAR

(2)

Beginning with
was

Effective with Version H, the code indicating whether or not the (1) claim is PPS and/or the beneficiary is a deemed insured Medicare Qualified Government Employee (MQGE).

NOTE: Beginning with NCH weekly process date 10/3/97 through 5/29/98, this field was populated with only the PPS indicator.

NCH weekly process date 6/5/98, this field additionally populated with the deemed MQGE indicator. Claims processed prior to 10/3/97 will contain spaces.

COBOL ALIAS : PPS_IND
DB2 ALIAS : CLM_PPS_IND_CD
SAS ALIAS : PPS_IND
STANDARD ALIAS : CLM_PPS_IND_CD
TITLE ALIAS : PPS_IND

LENGTH : 1

SOURCE : CWF

CODE TABLE : CLM_PPS_IND_TB

100. Claim Total Charge Amount 6 437 442 PACK

for
claim.

was

Effective with Version G, the total charges all services included on the institutional

This field is redundant with revenue center code 0001/total charges.

DB2 ALIAS : CLM_TOT_CHRG_AMT
SAS ALIAS : TOT_CHRG
STANDARD ALIAS : CLM_TOT_CHRG_AMT
TITLE ALIAS : CLAIM_TOTAL_CHARGES

LENGTH : 9.2 SIGNED : Y

COMMENTS :
Prior to Version H the size of this field S9(7)V99.

SOURCE : CWF

LIMITATIONS :

REFER TO :
TOT_CHRG_AMT_LIM

101. Claim Pricer Return Code 2 443 444 CHAR

NCH/NMUD
payment
for
(Inpatient,
(IRF),
of

Effective 1/1/2004 with the implementation of CR#1, the code used to identify various PPS adjustment types. This code identifies the payment return code or the error return code every claim type calculated by a PRICER Outpatient, SNF, Inpatient Rehab Facility Home Health and Hospice).

The payment return code identifies the type payment calculated by the PRICER software.

in
from

NCH/NMUD
444

102. Claim Business Segment Identifier Code
4 445 448

of NCH/NMUD
byte juris-
state/territory
byte
FFS
DMERC).

segment
work-
implemen-
MMA.

103. FILLER
44 449 492

104. Hospice NCH Edit Code Count
2 493 494

The error return code identifies a condition
a claim that prevents the PRICER software
calculating a correct payment.

NOTE: Prior to 10/2005 (implementation of
CR#2), this data was stored in positions 443-
(FILLER) on all institutional claim types.

DB2 ALIAS : CLM_PRCR_RTRN_CD
SAS ALIAS : PRCRTRN
STANDARD ALIAS : CLM_PRCR_RTRN_CD
LENGTH : 2
SOURCE : CWF
CODE TABLE : CLM_PRCR_RTRN_TB

CHAR

Effective 10/1/2005 with the implementation
CR#2, the identifier that captures the 2-
diction code (represents the USPS
abbreviation (i.e. NY = New York) and the 2-
modifier that identifies the type of Medicare
contract (intermediary, RHHI, carrier or

This 4-byte identifier along with the 5-byte
FI/Carrier number comprises the Contractor
Workload Identifier number. The business
identifier (BSI) is intended to help sort
loads that may be redistributed with the
tation of contracting reform as required by

DB2 ALIAS : BUSNS_SGMT_ID_CD
SAS ALIAS : SGMT_ID
STANDARD ALIAS : CLM_BUSNS_SGMT_ID_CD
LENGTH : 4
SOURCE : CWF

CHAR

DB2 ALIAS : FILLER
LENGTH : 44

NUM

The count of the number of edit codes
annotated to the Hospice claim during
the HCFA's CWFMOA process. The purpose
of this count is to indicate how many
claim edit trailers are present.

DB2 ALIAS : HOSPC_EDIT_CD_CNT
SAS ALIAS : HSEDCNT
STANDARD ALIAS : HOSPC_NCH_EDIT_CD_CNT
LENGTH : 2 SIGNED : N

COMMENTS :
Prior to Version H this field was named:
CLM_EDIT_CD_CNT.

105. Hospice NCH Patch Code Count
2 495 496

SOURCE : NCH

NUM

Effective with Version H, the count of the number of HCFA patch codes annotated to the hospice claim during the Nearline maintenance process. The purpose of this count is to indicate how many NCH patch trailers are present.

NOTE1: During the Version H conversion this field was populated with data throughout history (back to service year 1991).

NOTE2: Effective with Version 'I', the number of possible occurrences was reduced to 30. Prior to Version 'I' the number of possible occurrences was 99.

DB2 ALIAS : HOSPC_PATCH_CD_CNT
SAS ALIAS : HSPATCNT
STANDARD ALIAS : HOSPC_NCH_PATCH_CD_I_CNT

LENGTH : 2 SIGNED : N

SOURCE : NCH

106. Hospice MCO Period Count
1 497 497

NUM

Effective with Version H, the count of the number of Managed Care Organization (MCO) periods reported on an hospice claim. The purpose of this count is to indicate how many MCO period trailers are present.

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will

contain

zeroes in this field.

DB2 ALIAS : HOSPC_MCO_PRD_CNT
SAS ALIAS : HSMCOCNT
STANDARD ALIAS : HOSPC_MCO_PRD_CNT

LENGTH : 1 SIGNED : N

SOURCE : NCH

EDIT RULES :
RANGE: 0 TO 2

107. Hospice Claim Health PlanID Count
1 498 498

NUM

H)

A placeholder field (effective with Version for storing the count of the number of Health PlanIDs reported on the hospice claim. The purpose of this count is to indicate how

many

Health PlanID trailers are present. NOTE:

Prior

to Version 'I' this field was named:
HOSPC_CLM_PAYERID_CNT.

DB2 ALIAS : HOSPC_PLANID_CNT
SAS ALIAS : HSPLNCNT
STANDARD ALIAS : HOSPC_CLM_HLTH_PLANID_CNT

LENGTH : 1 SIGNED : N

SOURCE : NCH

EDIT RULES :
RANGE: 0 TO 3

108. Hospice Claim Demonstration ID Count

1 499 499 NUM
 number Effective with Version H, the count of the
 to of claim demonstration IDs reported on an
 trailers hospice claim. The purpose of this count is
 to indicate how many claim demonstration
 are present.

field NOTE: During the Version H conversion this
 was populated with data where a demo was
 identifiable.

DB2 ALIAS : HOSPC_DEMO_ID_CNT
 SAS ALIAS : HSDEMCNT
 STANDARD ALIAS : HOSPC_CLM_DEMO_ID_CNT

LENGTH : 1 SIGNED : N

SOURCE : NCH

EDIT RULES :
 RANGE: 0 TO 5

109. Hospice Claim Diagnosis Code Count
 2 500 501 NUM

(both The count of the number of diagnosis codes
 inpatient/SNF principal and other) reported on an
 indicate claim. The purpose of this count is to
 present. how many claim diagnosis trailers are

DB2 ALIAS : HOSPC_DGNS_CD_CNT
 SAS ALIAS : HSDGNCNT
 STANDARD ALIAS : HOSPC_CLM_DGNS_CD_CNT

LENGTH : 2 SIGNED : N

COMMENTS :
 Prior to Version H this field was named:
 CLM_OTHR_DGNS_CD_CNT and the principal was
 not included in the count.

SOURCE : NCH

EDIT RULES :
 RANGE: 0 TO 10

110. Hospice Claim Procedure Code Count
 2 502 503 NUM

(both The count of the number of procedure codes
 claim. principal and other) reported on an hospice
 The purpose of this count is to indicate how
 many claim procedure trailers are present.

DB2 ALIAS : HOSPC_PRCDR_CD_CNT
 SAS ALIAS : HSPRCNT
 STANDARD ALIAS : HOSPC_CLM_PRCDR_CD_CNT

LENGTH : 2 SIGNED : N

COMMENTS :
 Prior to Version H this field was named:
 CLM_PRCDR_CD_CNT.

SOURCE : CWF

EDIT RULES :
 RANGE: 0 TO 6

111. Hospice Claim Related Condition Code Count

2 504 505 NUM

The count of the number of condition codes reported on an hospice claim. The purpose of this count is to indicate how many many condition code trailers are present.

DB2 ALIAS : HOSPC_COND_CD_CNT
SAS ALIAS : HSCONCNT
STANDARD ALIAS : HOSPC_CLM_RLT_COND_CD_CNT

LENGTH : 2 SIGNED : N

COMMENTS :
Prior to Version H this field was named:
CLM_RLT_COND_CD_CNT.

SOURCE : NCH

EDIT RULES :
RANGE: 0 TO 30

112. Hospice Claim Related Occurrence Code Count
2 506 507

NUM

The count of the number of occurrence codes reported on an hospice claim. The purpose of this count is to indicate how many occurrence code trailers are present.

DB2 ALIAS : HOSPC_OCRNC_CD_CNT
SAS ALIAS : HSOCRCNT
STANDARD ALIAS : HOSPC_CLM_RLT_OCRNC_CD_CNT

LENGTH : 2 SIGNED : N

COMMENTS :
Prior to Version H this field was named:
CLM_RLT_OCRNC_CD_CNT.

SOURCE : NCH

EDIT RULES :
RANGE: 0 TO 30

113. Hospice Claim Occurrence Span Code Count
2 508 509

NUM

codes

The count of the number of occurrence span reported on an hospice claim. The purpose of the count is to indicate how many span code trailers are present.

DB2 ALIAS : HOSPC_SPAN_CNT
SAS ALIAS : HSSPNCNT
STANDARD ALIAS : HOSPC_CLM_OCRNC_SPAN_CD_CNT

LENGTH : 2 SIGNED : N

COMMENTS :
Prior to Version H this field was named:
CLM_OCRNC_SPAN_CD_CNT.

SOURCE : NCH

EDIT RULES :
RANGE: 0 TO 10

114. Hospice Claim Value Code Count
2 510 511

NUM

reported on
is to
present.

The count of the number of value codes an hospice claim. The purpose of the count indicate how many value code trailers are

DB2 ALIAS : HOSPC_VAL_CD_CNT
SAS ALIAS : HSVALCNT

STANDARD ALIAS : HOSPC_CLM_VAL_CD_CNT

LENGTH : 2 SIGNED : N

COMMENTS :
Prior to Version H this field was named:
CLM_VAL_CD_CNT.

SOURCE : NCH

EDIT RULES :
RANGE: 0 TO 36

115. Hospice Revenue Center Code Count
2 512 513

NUM

The count of the number of revenue codes reported on an hospice claim. The purpose of the count is to indicate how many revenue center trailers are present.

DB2 ALIAS : HOSPC_REV_CNTR_CNT
SAS ALIAS : HSREVCNT
STANDARD ALIAS : HOSPC_REV_CNTR_CD_I_CNT

LENGTH : 2 SIGNED : N

COMMENTS :
Prior to Version H this field was named:
CLM_REV_CNTR_CD_CNT.

NOTE: Effective with Version 'I' the number of occurrences changed to 45 (per segment - 450 total for claim). For claims prior to Version 'I' the number of occurrences was 58.

SOURCE : NCH

EDIT RULES :
RANGE: 0 TO 45

116. FILLER
4 514 517

CHAR

DB2 ALIAS : FILLER

LENGTH : 4

117. FI Hospice Claim Specific Group
52 518 569

GRP

Data pertaining only to fiscal intermediary claims.

STANDARD ALIAS : FI_HOSPC_CLM_SPECF_GRP

hospice

118. NCH Patient Status Indicator Code
1 518 518

CHAR

Effective with Version H, the code on an inpatient/SNF and Hospice claim, indicating whether the beneficiary was discharged, died or still a patient (used for internal CWFMQA editing purposes.)

NOTE: During the Version H conversion this field was populated throughout history (back service year 1991).

DB2 ALIAS : NCH_PTNT_STUS_IND
SAS ALIAS : PTNTSTUS
STANDARD ALIAS : NCH_PTNT_STUS_IND_CD
TITLE ALIAS : NCH_PATIENT_STUS

LENGTH : 1

DERIVATIONS :
DERIVED FROM:
NCH_PTNT_DSCHRG_STUS_CD

to

DERIVATION RULES:

SET NCH_PTNT_STUS_IND_CD TO 'A' WHERE THE PTNT_DSCHRG_STUS_CD NOT EQUAL TO '20' - '30' OR '40' - '42'.

SET NCH_PTNT_STUS_IND_CD TO 'B' WHERE THE PTNT_DSCHRG_STUS_CD EQUAL TO '20' - '29' OR '40' - '42'.

SET NCH_PTNT_STUS_IND_CD TO 'C' WHERE THE PTNT_DSCHRG_STUS_CD EQUAL TO '30'

SOURCE : NCH QA Process

CODE TABLE : NCH_PTNT_STUS_IND_TB

119. Claim Hospice Start Date 8 519 526 NUM

beneficiary

On an institutional claim, the date the was admitted to the hospice.

DB2 ALIAS : CLM_HOSPC_STRT_DT
SAS ALIAS : HSPCSTRT
STANDARD ALIAS : CLM_HOSPC_STRT_DT
TITLE ALIAS : HOSPC_START_DT

LENGTH : 8 SIGNED : N

COMMENTS :
Prior to Version H, this field was named: CLM_ADMSN_DT.

SOURCE : CWF

EDIT RULES :
YYYYMMDD

120. NCH Beneficiary Medicare Benefits Exhausted Date 8 527 534 NUM

where
of
covered

The last date for which the beneficiary has Medicare coverage. This is completed only where benefits were exhausted before the date discharge and during the billing period by this institutional claim.

DB2 ALIAS : MDCR_BNFT_EXHST_DT
SAS ALIAS : EXHST_DT
STANDARD ALIAS : NCH_MDCR_BNFT_EXHST_DT
TITLE ALIAS : BENEFIT_EXHST_DT

LENGTH : 8 SIGNED : N

DERIVATIONS :
DERIVED FROM:
CLM_RLT_OCRNC_CD
CLM_RLT_OCRNC_DT

DERIVATION RULES (Effective 10/93):
Based on the presence of occurrence code A3, B3 or C3 move the related occurrence date to NCH_MDCR_BNFT_EXHST_DT. *NOTE: Prior to 10/93, the date associated with occurrence code 23 was moved to this field.

COMMENTS :
Prior to Version H this field was named: CLM_MDCR_BNFT_EXHST_DT.

SOURCE : NCH QA Process

EDIT RULES :
YYYYMMDD

<p>121. NCH Beneficiary Discharge Date 8 535 542</p> <p>discharged CWFMQA</p> <p>field (back to</p> <p>status the claim</p>	<p>NUM</p> <p>Effective with Version H, on an inpatient and HHA claim, the date the beneficiary was from the facility or died (used for internal editing purposes.)</p> <p>NOTE: During the Version H conversion this was populated with data throughout history service year 1991.)</p> <p>DB2 ALIAS : NCH_BENE_DSCHRG_DT SAS ALIAS : DSCHRGDT STANDARD ALIAS : NCH_BENE_DSCHRG_DT TITLE ALIAS : DISCHARGE_DT</p> <p>LENGTH : 8 SIGNED : N</p> <p>DERIVATIONS : DERIVED FROM: NCH_PTNT_STUS_IND_CD CLM_THRU_DT</p> <p>DERIVATION RULES: Based on the presence of patient discharge code not equal to 30 (still patient), move thru date to the NCH_BENE_DSCHRG_DT.</p> <p>SOURCE : NCH QA Process</p> <p>EDIT RULES : YYYYMMDD</p>
<p>122. Claim Utilization Day Count 2 543 544</p>	<p>PACK</p> <p>On an institutional claim, the number of covered days of care that are chargeable to Medicare facility utilization that includes full days, coinsurance days, and lifetime reserve days. It excludes any days classified as non-covered, leave of absence days, and the day of discharge or death.</p> <p>DB2 ALIAS : CLM_UTLZTN_DAY_CNT SAS ALIAS : UTIL_DAY STANDARD ALIAS : CLM_UTLZTN_DAY_CNT TITLE ALIAS : UTILIZATION_DAYS</p> <p>LENGTH : 3 SIGNED : Y</p>
<p>123. Beneficiary's Hospice Period Count 1 545 545</p> <p>trailers to BBA hospice of changed initial 90 of 60 day</p>	<p>NUM</p> <p>The count of the number of hospice period present for the beneficiary's record. Prior a beneficiary was entitled to a maximum of 4 benefit periods that may be elected in lieu standard Part A hospital benefits. The BBA the hospice benefit to the following: 2 day periods followed by an unlimited number periods (effective 8/5/97).</p> <p>DB2 ALIAS : BENE_HOSPC_PRD_CNT SAS ALIAS : HOSPCPRD STANDARD ALIAS : BENE_HOSPC_PRD_CNT TITLE ALIAS : HOSPICE PERIOD COUNT</p>

				LENGTH	: 1	SIGNED : N
				SOURCE	: CWF	
				EDIT RULES :		
					RANGE: 1 THRU 3: 1 = 1st 90-day	
period; 2 = 2nd 90					day period and 3 = 60-day period (3 or	
greater					periods)	
124. FILLER	24	546	569	CHAR		
				DB2	ALIAS : FILLER	
				LENGTH	: 24	
125. FI Hospice Claim Variable Group				GRP		
VAR	570	12359				
hospice					Variable portion of the fiscal intermediary	
					claim record for version I of the NCH.	
126. NCH Edit Group	5	570	574	GRP		
determined					The number of claim edit trailers is	
					by the claim edit code count.	
					STANDARD ALIAS : NCH_EDIT_GRP	
					OCCURS MIN: 0 OCCURS MAX: 13	
					DEPENDING ON : HOSPC_NCH_EDIT_CD_CNT	
127. NCH Edit Trailer Indicator Code	1	570	570	CHAR		
field					Effective with Version H, the code indicating	
service					the presence of an NCH edit trailer.	
					NOTE: During the Version H conversion this	
					was populated throughout history (back to	
					year 1991).	
				DB2	ALIAS : EDIT_TRLR_IND_CD	
				SAS	ALIAS : EDITIND	
				STANDARD	ALIAS : NCH_EDIT_TRLR_IND_CD	
				LENGTH	: 1	
				SOURCE	: NCH QA Process	
				CODE TABLE	: NCH_EDIT_TRLR_IND_TB	
128. NCH Edit Code	4	571	574	CHAR		
					The code annotated to the claim indicating	
					the CWFMQA editing results so users will	
					be aware of data deficiencies.	
					NOTE: Prior to Version H only the highest	
					priority code was stored. Beginning 11/98	
					up to 13 edit codes may be present.	
				COMMON	ALIAS : QA_ERROR_CODE	
				DB2	ALIAS : NCH_EDIT_CD	
				SAS	ALIAS : EDIT_CD	
				STANDARD	ALIAS : NCH_EDIT_CD	
				TITLE	ALIAS : QA_ERROR_CD	
				LENGTH	: 4	

				SOURCE	: NCH QA EDIT PROCESS
				CODE TABLE	: NCH_EDIT_TB
129. NCH Patch Group	11	1	11	GRP	
				STANDARD ALIAS	: NCH_PATCH_GRP
				OCCURS MIN:	0 OCCURS MAX: 30
				DEPENDING ON	: HOSPC_NCH_PATCH_CD_I_CNT
130. NCH Patch Trailer Indicator Code	1	1	1	CHAR	
field				Effective with Version H, the code indicating	the presence of an NCH patch trailer.
service				NOTE: During the Version H conversion this	was populated throughout history (back to
				year 1991).	
				DB2 ALIAS	: PATCH_TRLR_IND_CD
				SAS ALIAS	: PATCHIND
				STANDARD ALIAS	: NCH_PATCH_TRLR_IND_CD
				LENGTH	: 1
				SOURCE	: NCH
				CODE TABLE	: NCH_PATCH_TRLR_IND_TB
131. NCH Patch Code	2	2	3	CHAR	
located				Effective with Version H, the code annotated	to the claim indicating a patch was applied
				to the record during an NCH Nearline record	conversion and/or during current processing.
				NOTE: Prior to Version H this field was	in the third and fourth occurrence of the
				CLM_EDIT_CD.	
				DB2 ALIAS	: NCH_PATCH_CD
				SAS ALIAS	: PATCHCD
				STANDARD ALIAS	: NCH_PATCH_CD
				TITLE ALIAS	: NCH_PATCH
				LENGTH	: 2
				SOURCE	: NCH
				CODE TABLE	: NCH_PATCH_TB
132. NCH Patch Applied Date	8	4	11	NUM	
patch				Effective with Version H, the date the NCH	was applied to the claim.
				DB2 ALIAS	: NCH_PATCH_APPLY_DT
				SAS ALIAS	: PATCHDT
				STANDARD ALIAS	: NCH_PATCH_APPLY_DT
				TITLE ALIAS	: NCH_PATCH_DT
				LENGTH	: 8 SIGNED : N
				SOURCE	: NCH
				EDIT RULES	: YYYMMDD
133. MCO Period Group					

37 1 37 GRP

field
the
no

The number of managed care organization (MCO) period data trailers present is determined by the claim MCO period trailer count. This reflects the two most current MCO periods in CWF beneficiary history record. It may have connection to the services on the claim.

STANDARD ALIAS : MCO_PRD_GRP

OCCURS MIN: 0 OCCURS MAX: 2

DEPENDING ON : HOSPC_MCO_PRD_CNT

134. NCH MCO Trailer Indicator Code 1 1 1 CHAR

(MCO)

Effective with Version H, the code indicating the presence of a Managed Care Organization trailer.

contain

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will

spaces in this field.

COBOL ALIAS : MCO_IND
DB2 ALIAS : MCO_TRLR_IND_CD
SAS ALIAS : MCOIND
STANDARD ALIAS : NCH_MCO_TRLR_IND_CD
TITLE ALIAS : MCO_INDICATOR

LENGTH : 1

SOURCE : NCH QA Process

CODE TABLE : NCH_MCO_TRLR_IND_TB

135. MCO Contract Number 5 2 6 CHAR

represents

Effective with Version H, this field the plan contract number of the Managed Care Organization (MCO).

contain

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will

spaces in this field.

DB2 ALIAS : MCO_CNTRCT_NUM
SAS ALIAS : MCONUM
STANDARD ALIAS : MCO_CNTRCT_NUM
TITLE ALIAS : MCO_NUM

LENGTH : 5

SOURCE : CWF

136. MCO Option Code 1 7 7 CHAR

contain

Effective with Version H, the code indicating Managed Care Organization (MCO) lock-in enrollment status of the beneficiary.

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will

spaces in this field.

DB2 ALIAS : MCO_OPTN_CD
SAS ALIAS : MCOOPTN
STANDARD ALIAS : MCO_OPTN_CD
TITLE ALIAS : MCO_OPTION_CD

LENGTH : 1

SOURCE : CWF

CODE TABLE : MCO_OPTN_TB

137. MCO Period Effective Date 8 8 15 NUM

Effective with Version H, the date the beneficiary's enrollment in the Managed Care Organization (MCO) became effective.

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will

contain

zeroes in this field.

DB2 ALIAS : MCO_PRD_EFCTV_DT
SAS ALIAS : MCOEFFDT
STANDARD ALIAS : MCO_PRD_EFCTV_DT
TITLE ALIAS : MCO_PERIOD_EFF_DT

LENGTH : 8 SIGNED : N

SOURCE : CWF

EDIT RULES :
YYYYMMDD

138. MCO Period Termination Date 8 16 23 NUM

Effective with Version H, the date the beneficiary's enrollment in the Managed Care Organization (MCO) was terminated.

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will

contain

zeroes in this field.

DB2 ALIAS : MCO_PRD_TRMNTN_DT
SAS ALIAS : MCOTRMDT
STANDARD ALIAS : MCO_PRD_TRMNTN_DT
TITLE ALIAS : MCO_PERIOD_TERM_DT

LENGTH : 8 SIGNED : N

SOURCE : CWF

EDIT RULES :
YYYYMMDD

139. MCO Health PLANID Number 14 24 37 CHAR

H)

A placeholder field (effective with Version H) for storing the Health PlanID associated with the Managed Care Organization (MCO). Prior

to

Version 'I' this field was named: MCO_PAYERID_NUM.

DB2 ALIAS : MCO_PLANID_NUM
SAS ALIAS : MCOPLNID
STANDARD ALIAS : MCO_HLTH_PLANID_NUM
TITLE ALIAS : MCO_PLANID

LENGTH : 14

COMMENTS :
Prior to Version I this field was named:

MCO_PAYERID_NUM.

SOURCE : CWF

140. Claim Health PlanID Group 16 1 16 GRP

determined
Prior

The number of Health PlanID data trailers is determined by the claim Health PlanID trailer count.

to Version 'I' this field was named: CLM_PAYERID_GRP.

STANDARD ALIAS : CLM_HLTH_PLANID_GRP

OCCURS MIN: 0 OCCURS MAX: 3

DEPENDING ON : HOSPC_CLM_HLTH_PLANID_CNT

141. NCH Health PlanID Trailer Indicator Code 1 1 1 CHAR

H)
presence

A placeholder field (effective with Version H) for storing the code that indicates the presence of a Health PlanID trailer. NOTE: Prior to Version 'I' this field was named: NCH_PAYERID_TRLR_IND_CD.

DB2 ALIAS : NCH_HLTH_PLANID_TR
SAS ALIAS : PLANIDIN
STANDARD ALIAS : NCH_HLTH_PLANID_TRLR_IND_CD

LENGTH : 1

COMMENTS :
Prior to Version I this field was named: NCH_PAYERID_TRLR_IND_CD.

SOURCE : NCH

CODE TABLE : NCH_HLTH_PLANID_TRLR_IND_TB

142. Claim Health PlanID Code 1 2 2 CHAR

H)
field

A placeholder field (effective with Version H) for storing the code identifying the type of Health PlanID. Prior to Version 'I' this field was named: CLM_PAYERID-CD

DB2 ALIAS : HLTH_PLANID_CD
SAS ALIAS : PLANIDCD
STANDARD ALIAS : CLM_HLTH_PLANID_CD
TITLE ALIAS : PLANID_TYPE

LENGTH : 1

COMMENTS :
Prior to Version I this field was named: CLM_PAYERID_CD.

SOURCE : CWF

CODE TABLE : CLM_HLTH_PLANID_TB

143. Claim Health PlanID Number 14 3 16 CHAR

H)

A placeholder field (effective with Version H) for storing the Health PlanID number. Prior to Version 'I' this field was named: CLM_PAYERID_NUM.

DB2 ALIAS : HLTH PLANID NUM

SAS ALIAS : PLANID
STANDARD ALIAS : CLM_HLTH_PLANID_NUM
TITLE ALIAS : PLANID

LENGTH : 14

COMMENTS :
Prior to Version I this field was named:
CLM_PAYERID_NUM.

SOURCE : CWF

144. Claim Demonstration Identification Group
18 1 18

GRP

The number of demonstration identification trailers present is determined by the claim demonstration identification trailer count.

STANDARD ALIAS : CLM_DEMO_ID_GRP

OCCURS MIN: 0 OCCURS MAX: 5

DEPENDING ON : HOSPC_CLM_DEMO_ID_CNT

145. NCH Demonstration Trailer Indicator Code
1 1 1

CHAR

Effective with Version H, the code indicating the presence of a demo trailer.

field
service

NOTE: During the Version H conversion this was populated throughout history (back to year 1991).

COBOL ALIAS : DEMO_IND
DB2 ALIAS : NCH_DEMO_TRLR_IND_
SAS ALIAS : DEMOIND
STANDARD ALIAS : NCH_DEMO_TRLR_IND_CD
TITLE ALIAS : DEMO_INDICATOR

LENGTH : 1

SOURCE : NCH

CODE TABLE : NCH_DEMO_TRLR_IND_TB

146. Claim Demonstration Identification Number
2 2 3

CHAR

to
Processing

Effective with Version H, the number assigned to identify a demo. This field is also used

denote special processing (a.k.a. Special Number, SPN).

in the
positions
field was
appro-
by

NOTE: Prior to Version H, Demo ID was stored redefined Claim Edit Group, 4th occurrence, 3 and 4. During the H conversion, this was populated with data throughout history (as private either by moving ID on Version G or deriving from specific demo criteria).

NHCMQ

01 = Nursing Home Case-Mix and Quality:

(RUGS) Demo -- testing PPS for SNFs in 6 states, using a case-mix classification system based on resident characteristics and actual resources used. The claims carry a RUGS indicator and one or more revenue center codes in the 9,000 series.

weekly
after
was
phase #
CWF

ID
date
(stored
position,

weekly
HCFA/
start/

ID

tradi-
inter-

(nonDMERC)
12/31/96
7/97,

'03'
1/97
or more

Managed
demo,
hospital
contain

NOTE1: Effective for SNF claims with NCH process date after 2/8/96 (and service date 12/31/95) -- beginning 4/97, Demo ID '01' derived in NCH based on presence of RUGS '2','3' or '4' on incoming claim; since 7/97, has been adding ID to claim.

NOTE2: During the Version H conversion, Demo '01' was populated back to NCH weekly process 2/9/96 based on the RUGS phase indicator in Claim Edit Group, 3rd occurrence, 4th in Version G).

02 = National HHA Prospective Payment Demo -- testing PPS for HHAs in 5 states, using two alternate methods of paying HHAs: per visit by type of HHA visit and per episode of HH care.

NOTE1: Effective for HHA claims with NCH process date after 5/31/95 -- beginning 4/97, Demo ID '02' was derived in NCH based on CHPP-supplied listing of provider # and stop dates of participants.

NOTE2: During the Version H conversion, Demo '02' was populated back to NCH weekly process date 6/95 based on the CHPP criteria.

03 = Telemedicine Demo -- testing covering tionally noncovered physician services for medical consultation furnished via two-way, active video systems (i.e. teleconsultation) in 4 states. The claims contain line items with 'QQ' HCPCS code.

NOTE1: Effective for physician/supplier claims with NCH weekly process date after (and service date after 9/30/96) -- since CWF has been adding Demo ID '03' to claim.

NOTE2: During Version H conversion, Demo ID was populated back to NCH weekly process date based on the presence of 'QQ' HCPCS on one line items.

04 = United Mine Workers of America (UMWA) Care Demo -- testing risk sharing for Part A services, paying special capitation rates for all UMWA beneficiaries residing in 13 designated counties in 3 states. Under the UMWA will waive the 3-day qualifying stay for a SNF admission. The claims TOB '18X','21X','28X' and '51X'; condition code = W0; claim MCO paid switch = not '0'; and MCO contract # = '90091'.

for
Demo
2/98.
demo --
NCH
of
was
ID
Choices
cross-
--
Date
claim.
follow-
'106'
150897,
=00700/31143
(VCSI)

NOTE: Initially scheduled to be implemented
all SNF claims for admission or services on
1/1/97 or later, CWF did not transmit any
ID '04' annotated claims until on or about
05 = Medicare Choices (MCO encounter data)
testing expanding the type of Managed Care
plans available and different payment methods
at 16 MCOs in 9 states. The claims contain
one of the specific MCO Plan Contract #
assigned to the Choices Demo site.

NOTE1: Effective for all claim types with
weekly process date after 7/31/97 -- CWF adds
Demo ID '05' to claim based on the presence
the MCO Plan Contract #. ***Demonstration
terminated 12/31/2000.***

NOTE2: During the Version H conversion, Demo
'05' was populated back to NCH weekly process
date 8/97 based on the presence of the
indicator (stored as an alpha character
walked from MCO plan contract # in the Claim
Edit Group, 4th occurrence, 2nd position, in
Version 'G').

06 = Coronary Artery Bypass Graft (CABG) Demo
testing bundled payment (all-inclusive global
pricing) for hospital + physician services
related to CABG surgery in 7 hospitals in 7
states. The inpatient claims contain a DRG
'106' or '107'.

NOTE1: Effective for Inpatient claims and
physician/supplier claims with Claim Edit
no earlier than 6/1/91 (not all CABG sites
started at the same time) -- on 5/1/97, CWF
started transmitting Demo ID '06' on the
The FI adds the ID to the claim based on the
presence of DRG '106' or '107' from specific
providers for specified time periods; the
carrier adds the ID to the claim based on
receiving 'Daily Census List' from parti-
cipating hospitals. ***Demo terminated in
1998.***

NOTE2: During the Version H conversion, any
claims where Medicare is the primary payer
that were not already identified as Demo ID
'06' (stored in the redefined Claim Edit
Group, 4th occurrence, positions 3 and 4,
Version G) were annotated based on the
ing criteria: Inpatient - presence of DRG
or '107' and a provider number=220897,
380897,450897,110082,230156 or 360085 for
specified service dates; noninstitutional -
presence of HCPCS modifier (initial and/or
second) = 'Q2' and a carrier number
00630,01380,00900,01040/00511,00710,00623, or
13630 for specified service dates.

07 = Virginia Cardiac Surgery Initiative

Partner-
consortium of
non-
open
of
data on
to
The
process
carriers

payment
will
'109';
contain

is 4/1/03.
id
claims, the
the

per-case

Organization
associated
hospitals

carrier will

--

imple-

to

(formerly referred to as Medicare Quality Partnerships Demo) -- this is a voluntary the cardiac surgery physician groups and the Veterans Administration hospitals providing heart surgical services in the Commonwealth of Virginia. The goal of the demo is to share quality and process innovations in an attempt to improve the care for all cardiac patients. demonstration only affects those FIs that claims from hospitals in Virginia and the that process claims from physicians providing inpatient services at those hospitals. The hospitals will be reimbursed on a global basis for selected cardiac surgical diagnosis related groups (DRGs). The inpatient claims contain a DRG '104', '105', '106', '107', the related physician/supplier claims will the claim payment denial reason code = 'D'.

NOTE: The implementation date for this demo The FI will annotate the claim with the demo add Demo ID '07' to claim. For carrier Standard Systems will annotate the claim with '07' demo number.

08 = Provider Partnership Demo -- testing

payment approaches for acute inpatient hospitalizations, making a lump-sum payment (combining the normal Part A PPS payment with the Part B allowed charges into a single fee schedule) to a Physician/Hospital

for all Part A and Part B services

with a hospital admission. From 3 to 6

in the Northeast and Mid-Atlantic regions may participate in the demo.

NOTE: The demo is on HOLD. The FI and add Demo ID '08' to claim.

15 = ESRD Managed Care (MCO encounter data)

testing open enrollment of ESRD beneficiaries and capitation rates adjusted for patient treatment needs at 3 MCOs in 3 States. The claims contain one of the specific MCO Plan Contract # assigned to the ESRD demo site.

NOTE: Effective 10/1/97 (but not actually mented at a site until 1/1/98) for all claim types -- the FI and carrier add Demo ID '15' claim based on the presence of the MCO plan contract #.

30 = Lung Volume Reduction Surgery (LVRS) or National Emphysema Treatment Trial (NETT) Clinical Study -- evaluating the effective-

DMERC)
(and
Demo ID
code = EY;
adds
SEN-
UNDER THE
THESE
TO
(access

not really

-- to test
to
care
A and
Coordinated
will
for the

carriers;

purpose
on costs
management
prescription
diag-
failure,
demon-
demonstration
4/1/2003).

California
for trans-

ness of LVRS and maximum medical therapy (including pulmonary rehab) for Medicare beneficiaries in last stages of emphysema at 18 hospitals nationally, in collaboration with NIH.

NOTE: Effective for all claim types (except with NCH weekly process date after 2/27/98 service date after 10/31/97) -- the FI adds '30' based on the presence of a condition the participating physician (not the carrier) ID to the noninstitutional claim. DUE TO THE SITIVE NATURE OF THIS CLINICAL TRIAL AND TERMS OF THE INTERAGENCY AGREEMENT WITH NIH, CLAIMS ARE PROCESSED BY CWF AND TRANSMITTED HCFA BUT NOT STORED IN THE NEARLINE FILE is restricted to study evaluators only).

31 = VA Pricing Special Processing (SPN) -- a demo but special request from VA due to court settlement; not Medicare services but VA inpatient and physician services submitted to FI 00400 and Carrier 00900 to obtain Medicare pricing -- CWF WILL PROCESS VA CLAIMS ANNOTATED WITH DEMO ID '31', BUT WILL NOT TRANSMIT TO HCFA (not in Nearline File).

37 = Medicare Coordinated Care Demonstration whether coordinated care services furnished certain beneficiaries improves outcome of and reduces Medicare expenditures under Part Part B. There will be at least 14 Care Entities (CCEs). The selected entities be assigned a provider number specifically demonstration services.

NOTE: All claims will be processed by no FI processing (except for Georgetown site) 37 = Medicare Disease Management (DMD) -- the of this demonstration is to study the impact and health outcomes of applying disease services supplemented with coverage for drugs for certain Medicare beneficiaries with nosed, advanced-stage congestive heart diabetes, or coronary heart disease. Three stration sites will be used for this and it will last for 3 years. (Effective

NOTE: All claims will be processed by NHIC- (Carrier). FIs will only serve as a conduit

NOEs.

of this
encounter
Center (HDC).
claim go
which
**NOT

not be
encounter claims.

Claims -- The
processing
claims
be
trans-
processing.

claims.

Services

of

clinics.
reim-
IHS
in
This
Medicare

institutional and

purpose
of the
medical
beneficiaries as
services
beneficiaries
in not
health ser-
the amount

mitting information to and from CWF about the

38 = Physician Encounter Claims - the purpose
demo id is to identify the physician
claims being processed at the HCFA Data
This number will help EDS in making the
through the appropriate processing logic,
differs from that for fee-for-service.
IN NCH.**

NOTE: Effective October, 2000. Demo ids will
assigned to Inpatient and Outpatient

39 = Centralized Billing of Flu and PPV
purpose of this demo is to facilitate the
carrier, Trailblazers, paying flu and PPV
based on payment localities. Providers will
giving the shots throughout the country and
mitting the claims to Trailblazers for

NOTE: Effective October, 2000 for carrier

40 = Payment of Physician and Nonphysician
in certain Indian Providers -- the purpose of
this demo is to extend payment for services
physician and nonphysician practitioners
furnished in hospitals and ambulatory care
Prior to the legislation change in BIPA,
bursement for Medicare services provided in
facilities was limited to services provided
hospitals and skilled nursing facilities.
change will allow payment for IHS, Tribe and
Tribal Organization providers under the
physician fee schedule.

NOTE: Effective July 1, 2001 for
carrier claims.

48 = Medical Adult Day-Care Services -- the
of this demonstration is to provide, as part
episode of care for home health services,
adult day care services to Medicare
a substitute for a portion of home health
that would otherwise be provided in the
home. This demo would last approx. 3 years
more than 5 sites. Payment for each home
vice episode of care will be set at 95% of

services

claims.

147. Claim Demonstration Information Text
15 4 18

that
example,
would
first

contain
RUGS phase
field
'G', RUGS
Group,

field
equal to

field will
HCPCS is

contain
present.
text

will con-
follow-
number

that would otherwise be paid for home health
provided entirely in the home.

NOTE: Effective July 5, 2005 for HHA

DB2 ALIAS : CLM_DEMO_ID_NUM
SAS ALIAS : DEMONUM
STANDARD ALIAS : CLM_DEMO_ID_NUM
TITLE ALIAS : DEMO_ID

LENGTH : 2

SOURCE : CWF

CHAR

Effective with Version H, the text field
contains related demo information. For
a claim involving a CHOICES demo id '05'
contain the MCO plan contract number in the
five positions of this text field.

NOTE: During the Version H conversion this
field was populated with data throughout
history.

DB2 ALIAS : CLM_DEMO_INFO_TXT
SAS ALIAS : DEMOTXT
STANDARD ALIAS : CLM_DEMO_INFO_TXT
TITLE ALIAS : DEMO_INFO

LENGTH : 15

DERIVATIONS :

DERIVATION RULES:

Demo ID = 01 (RUGS) -- the text field will
a 2, 3 or 4 to denote the RUGS phase. If
is blank or not one of the above the text
will reflect 'INVALID'. NOTE: In Version
phase was stored in redefined Claim Edit
3rd occurrence, 4th position.

Demo ID = 02 (Home Health demo) -- the text
will contain PROV#. When demo number not
02 then text will reflect 'INVALID'.

Demo ID = 03 (Telemedicine demo) -- text
contain the HCPCS code. If the required
not shown then the text field will reflect
'INVALID'.

Demo ID = 04 (UMWA) -- text field will
W0 denoting that condition code W0 was
If condition code W0 not present then the
field will reflect 'INVALID'.

Demo ID = 05 (CHOICES) -- the text field
tain the CHOICES plan number, if both of the
ing conditions are met: (1) CHOICES plan

that 1st
the
effective/termination
within
CHOICES

will
re-

ID is

field
ESRD/

will

present and PPS or Inpatient claim shows
3 positions of provider number as '210' and
admission date is within HMO
date; or non-PPS claim and the from date is
HMO effective/termination date and (2)

plan number matches the HMO plan number. If
either condition is not met the text field
reflect 'INVALID CHOICES PLAN NUMBER'. When
CHOICES plan number not present, text will
flect 'INVALID'.

NOTE: In Version 'G', a valid CHOICES plan
stored as alpha character in redefined Claim
Edit Group, 4th occurrence, 2nd position. If
invalid, CHOICES indicator 'ZZ' displayed.

Demo ID = 15 (ESRD Managed Care) -- text
will contain the ESRD/MCO plan number. If
MCO plan number not present the field will
reflect 'INVALID'.

Demo ID = 38 (Physician Encounter Claims) --
text field will contain the MCO plan number.
When MCO plan number not present the field
reflect 'INVALID'.

SOURCE : CWF

LIMITATIONS :

REFER TO :
CHOICES_DEMO_LIM

148. Claim Diagnosis Group 7 1 7 GRP

occurrence.
cause
is
also

The number of claim diagnosis trailers is
determined by the claim diagnosis code
count. The principal diagnosis is the first
The 'E' code (ICD-9-CM code for the external
of an injury, poisoning, or adverse affect)
stored as the last occurrence.
The principal diagnosis and the 'E' code are
stored (redundantly) in the fixed portion
of the record.

NOTE:
Prior to Version H this group was named:
CLM_OTHR_DGNS_GRP and did not contain the
CLM_PRNCPAL_DGNS_CD.

STANDARD ALIAS : CLM_DGNS_GRP

OCCURS MIN: 0 OCCURS MAX: 10

DEPENDING ON : HOSPC_CLM_DGNS_CD_CNT

149. NCH Diagnosis Trailer Indicator Code 1 1 1 CHAR

Effective with Version H, the code indicating
the presence of a diagnosis trailer.

NOTE: During the Version H conversion this

field					was populated throughout history (back to
service					year 1991).
					DB2 ALIAS : DGNS_TRLR_IND_CD
					SAS ALIAS : DGNSIND
					STANDARD ALIAS : NCH_DGNS_TRLR_IND_CD
					LENGTH : 1
					SOURCE : NCH
					CODE TABLE : NCH_DGNS_TRLR_IND_TB
150. Claim Diagnosis Code	5	2	6	CHAR	
					The ICD-9-CM based code identifying the beneficiary's principal or other diagnosis (including E code).
diagnosis					NOTE: Prior to Version H, the principal diagnosis code was not stored with the 'OTHER' codes. During the Version H conversion the CLM_PRNCPAL_DGNS_CD was added as the first occurrence.
					DB2 ALIAS : CLM_DGNS_CD
					SAS ALIAS : DGNS_CD
					STANDARD ALIAS : CLM_DGNS_CD
					TITLE ALIAS : DIAGNOSIS
					LENGTH : 5
					COMMENTS : Prior to Version H this field was named: CLM_OTHR_DGNS_CD.
					EDIT RULES : ICD-9-CM
151. FILLER	1	7	7	CHAR	
					DB2 ALIAS : FILLER
					LENGTH : 1
152. Claim Procedure Group	16	1	16	GRP	
determined					The number of claim procedure trailers is
10/93					by the claim procedure code count. Prior to
six					up to 10 occurrences could be reported on an
be					institutional claim. Beginning 10/93, up to
					occurrences (one principal; five others) may
					reported.
					STANDARD ALIAS : CLM_PRCDR_GRP
					OCCURS MIN: 0 OCCURS MAX: 6
					DEPENDING ON : HOSPC_CLM_PRCDR_CD_CNT
153. NCH Procedure Trailer Indicator Code	1	1	1	CHAR	
the presence					Effective with Version H, the code indicating
field was					of a procedure trailer.
					NOTE: During the Version H conversion this
					populated throughout history (back to service

year 1991).

DB2 ALIAS : NCH_PRCDR_TRLR_IND
SAS ALIAS : PRCDRIND
STANDARD ALIAS : NCH_PRCDR_TRLR_IND_CD

LENGTH : 1
SOURCE : NCH
CODE TABLE : NCH_PRCDR_TRLR_IND_TB

154. Claim Procedure Code

4 2 5

CHAR

principal or other
by the

The ICD-9-CM code that indicates the
procedure performed during the period covered
institutional claim.

codes are no

The

standard code

HCPCS/CPT codes

physician services

NOTE:
Effective July 2004, ICD-9-CM procedure
longer being accepted on Outpatient claims.
ICD-9-CM code were named as the HIPPA
set for inpatient hospital procedures.
were named as the standard code set for
and other health care services.

DB2 ALIAS : CLM_PRCDR_CD
SAS ALIAS : PRCDR_CD
STANDARD ALIAS : CLM_PRCDR_CD
TITLE ALIAS : PROCEDURE_CODE

LENGTH : 4

DERIVATIONS :
DERIVED FROM:
NCH CLM_PRCDR_CD

OR

IF FIELD CONTAINS 4 ALPHA-NUMERIC CHARACTERS
OR 3 ALPHA-NUMERIC CHARACTERS FOLLOWED BY A
SPACE, ASSUME CODE IS VALID
OTHERWISE
MOVE SPACES TO CLM_PRCDR_CD.

SOURCE : NCH

EDIT RULES :
ICD-9-CM

155. FILLER

3 6 8

CHAR

DB2 ALIAS : FILLER

LENGTH : 3

156. Claim Procedure Performed Date
8

9 16

NUM

performed.

On an institutional claim, the date on which
the principal or other procedure was

DB2 ALIAS : CLM_PRCDR_PRFRM_DT
SAS ALIAS : PRCDR_DT
STANDARD ALIAS : CLM_PRCDR_PRFRM_DT

LENGTH : 8 SIGNED : N

SOURCE : CWF

EDIT RULES :
YYYYMMDD

<p>157. Claim Related Condition Group 3 1 3 GRP</p> <p>trailers is code count. reported up to</p>	<p>The number of claim related condition determined by the claim related condition Effective 10/93, up to 30 occurrences can be on an institutional claim. Prior to 10/93, 10 occurrences could be reported.</p> <p>STANDARD ALIAS : CLM_RLT_COND_GRP OCCURS MIN: 0 OCCURS MAX: 30 DEPENDING ON : HOSPC_CLM_RLT_COND_CD_CNT</p>
<p>158. NCH Condition Trailer Indicator Code 1 1 1 CHAR</p> <p>field service</p>	<p>Effective with Version H, the code indicating the presence of a condition code trailer.</p> <p>NOTE: During the Version H conversion this was populated throughout history (back to year 1991).</p> <p>DB2 ALIAS : COND_TRLR_IND_CD SAS ALIAS : CONDIND STANDARD ALIAS : NCH_COND_TRLR_IND_CD</p> <p>LENGTH : 1 SOURCE : NCH CODE TABLE : NCH_COND_TRLR_IND_TB</p>
<p>159. Claim Related Condition Code 2 2 3 CHAR</p> <p>to</p>	<p>The code that indicates a condition relating an institutional claim that may affect payer processing.</p> <p>DB2 ALIAS : CLM_RLT_COND_CD SAS ALIAS : RLT_COND STANDARD ALIAS : CLM_RLT_COND_CD TITLE ALIAS : RELATED_CONDITION_CD</p> <p>LENGTH : 2 SOURCE : CWF CODE TABLE : CLM_RLT_COND_TB</p>
<p>160. Claim Related Occurrence Group 11 1 11 GRP</p> <p>trailers is code count. reported up to 10</p>	<p>The number of claim related occurrence determined by the claim related occurrence Effective 10/93, up to 30 occurrences can be on an institutional claim. Prior to 10/93, occurrences could be reported.</p> <p>STANDARD ALIAS : CLM_RLT_OCRNC_GRP OCCURS MIN: 0 OCCURS MAX: 30 DEPENDING ON : HOSPC_CLM_RLT_OCRNC_CD_CNT</p>

161. NCH Occurrence Trailer Indicator Code	1	1	1	CHAR	
field					Effective with Version H, the code indicating the presence of a occurrence code trailer.
service					NOTE: During the Version H conversion this was populated throughout history (back to year 1991).
					DB2 ALIAS : OCRNC_TRLR_IND_CD SAS ALIAS : OCRNCIND STANDARD ALIAS : NCH_OCRNC_TRLR_IND_CD
					LENGTH : 1
					SOURCE : NCH
					CODE TABLE : NCH_OCRNC_TRLR_IND_TB
162. Claim Related Occurrence Code	2	2	3	CHAR	
					The code that identifies a significant event relating to an institutional claim that may affect payer processing. These codes are claim-related occurrences that are related to a specific date.
					DB2 ALIAS : CLM_RLT_OCRNC_CD SAS ALIAS : OCRNC_CD STANDARD ALIAS : CLM_RLT_OCRNC_CD TITLE ALIAS : OCCURRENCE_CD
					LENGTH : 2
					SOURCE : CWF
					CODE TABLE : CLM_RLT_OCRNC_TB
163. Claim Related Occurrence Date	8	4	11	NUM	
					The date associated with a significant event related to an institutional claim that may affect payer processing.
					DB2 ALIAS : CLM_RLT_OCRNC_DT SAS ALIAS : OCRNCDT STANDARD ALIAS : CLM_RLT_OCRNC_DT TITLE ALIAS : RLT_OCRNC_DT
					LENGTH : 8 SIGNED : N
					SOURCE : CWF
					EDIT RULES : YYYYMMDD
164. Claim Occurrence Span Group	19	1	19	GRP	
is					The number of claim occurrence span trailers determined by the claim occurrence span code
count.					Up to 10 occurrences may be reported on an institutional claim.
					STANDARD ALIAS : CLM_OCRNC_SPAN_GRP
					OCCURS MIN: 0 OCCURS MAX: 10
					DEPENDING ON : HOSPC_CLM_OCRNC_SPAN_CD_CNT
165. NCH Span Trailer Indicator Code	1	1	1	CHAR	

Effective with Version H, the code indicating the presence of a span code trailer.

field
service

NOTE: During the Version H conversion this was populated throughout history (back to year 1991).

DB2 ALIAS : SPAN_TRLR_IND_CD
SAS ALIAS : SPANIND
STANDARD ALIAS : NCH_SPAN_TRLR_IND_CD

LENGTH : 1

SOURCE : NCH

CODE TABLE : NCH_SPAN_TRLR_IND_TB

166. Claim Occurrence Span Code 2 2 3

CHAR

The code that identifies a significant event relating to an institutional claim that may affect payer processing. These codes are claim-related occurrences that are related to a time period (span of dates).

DB2 ALIAS : CLM_OCRNC_SPAN_CD
SAS ALIAS : SPAN_CD
STANDARD ALIAS : CLM_OCRNC_SPAN_CD
TITLE ALIAS : SPAN_CD

LENGTH : 2

SOURCE : CWF

CODE TABLE : CLM_OCRNC_SPAN_TB

167. Claim Occurrence Span From Date 8 4 11

NUM

The from date of a period associated with an occurrence of a specific event relating to an institutional claim that may affect payer processing.

DB2 ALIAS : OCRNC_SPAN_FROM_DT
SAS ALIAS : SPANFROM
STANDARD ALIAS : CLM_OCRNC_SPAN_FROM_DT
TITLE ALIAS : SPAN_FROM_DT

LENGTH : 8 SIGNED : N

SOURCE : CWF

EDIT RULES :
YYYYMMDD

168. Claim Occurrence Span Through Date 8 12 19

NUM

The thru date of a period associated with an occurrence of a specific event relating to an institutional claim that may affect payer processing.

DB2 ALIAS : OCRNC_SPAN_THRU_DT
SAS ALIAS : SPANTHRU
STANDARD ALIAS : CLM_OCRNC_SPAN_THRU_DT
TITLE ALIAS : SPAN_THRU_DT

LENGTH : 8 SIGNED : N

SOURCE : CWF

EDIT RULES :
YYYYMMDD

169. Claim Value Group 9 1 9

GRP

present is
Effective
on an
10

The number of claim value data trailers
determined by the claim value code count.
10/93, up to 36 occurrences can be reported
institutional claim. Prior to 10/93, up to
occurrences could be reported.

STANDARD ALIAS : CLM_VAL_GRP

OCCURS MIN: 0 OCCURS MAX: 36

DEPENDING ON : HOSPC_CLM_VAL_CD_CNT

170. NCH Value Trailer Indicator Code
1 1 1

CHAR

Effective with Version H, the code indicating
the presence of a value code trailer.

NOTE: During the Version H conversion this
was populated throughout history (back to
year 1991).

DB2 ALIAS : VAL_TRLR_IND_CD

SAS ALIAS : VALIND

STANDARD ALIAS : NCH_VAL_TRLR_IND_CD

LENGTH : 1

SOURCE : NCH

CODE TABLE : NCH_VAL_TRLR_IND_TB

171. Claim Value Code
2 2 3

CHAR

The code indicating the value of a monetary
condition which was used by the intermediary
to process an institutional claim.

DB2 ALIAS : CLM_VAL_CD

SAS ALIAS : VAL_CD

STANDARD ALIAS : CLM_VAL_CD

TITLE ALIAS : VALUE_CD

LENGTH : 2

SOURCE : CWF

CODE TABLE : CLM_VAL_TB

172. Claim Value Amount
6 4 9

PACK

The amount related to the condition

in the CLM_VAL_CD which was used by the
intermediary to process the institutional
claim.

DB2 ALIAS : CLM_VAL_AMT

SAS ALIAS : VAL_AMT

STANDARD ALIAS : CLM_VAL_AMT

TITLE ALIAS : VALUE_AMOUNT

LENGTH : 9.2 SIGNED : Y

SOURCE : CWF

EDIT RULES :

\$\$\$\$\$\$\$\$CC

173. Claim Revenue Center Group
224 1 224

GRP

field
service

identified

trailers is count. be reported the claim to 10). Each revenue center may be submitted occurrences.

***** will be services. beginning on or transitioning by payment of needs, using known as III. Minimum Data Instrument groups.

174. NCH Revenue Center Trailer Indicator Code
1 1 1

identifying the was to

The number of claim revenue center data determined by the claim revenue center code Effective 7/7/00, up to 450 occurrences may for an institutional claim. The increase in number of revenue center lines causes each be broken out into records/segments (up to record can have up to 45 occurrences of lines. Prior to 7/7/00, up to 58 occurrences reported on an institutional claim. Claims prior to 10/93, contained up to 28

STANDARD ALIAS : CLM_REV_CNTR_GRP

COMMENTS :
***** FOR SNF PPS

The Balanced Budget Act modified how payment made for skilled nursing facility (SNF) Effective with cost reporting periods after 7/1/98 (with all providers 6/30/99, SNFs will be paid on a prospective system (PPS).

SNFs will classify beneficiaries on the basis residents' characteristics and resource the 44-group patient classification system Resource Utilization Groups (RUGS), Version Facilities will use information from the Set (MDS), Version 2.0, Resident Assessment (RAI) to classify residents into the RUG-III

OCCURS MIN: 0 OCCURS MAX: 45

DEPENDING ON : HOSPC_REV_CNTR_CD_I_CNT

CHAR

Effective with Version H, the code revenue center trailer.

During the Version H conversion this field populated with data throughout history (back service year 1991).

DB2 ALIAS : REV_CNTR_TRLR_CD
SAS ALIAS : REVIND
STANDARD ALIAS : NCH_REV_CNTR_TRLR_IND_CD

LENGTH : 1

SOURCE : NCH

CODE TABLE : NCH_REV_TRLR_IND_TB

175. Revenue Center Code

4 2 5

CHAR

cost center for accommodation or unit within a pathology). represents the total of

The provider-assigned revenue code for each which a separate charge is billed (type of ancillary). A cost center is a division or hospital (e.g., radiology, emergency room, EXCEPTION: Revenue center code 0001 all revenue centers included on the claim.

COBOL ALIAS : REV_CD
DB2 ALIAS : REV_CNTR_CD
SAS ALIAS : REV_CNTR
STANDARD ALIAS : REV_CNTR_CD
TITLE ALIAS : REVENUE_CENTER_CD

LENGTH : 4

SOURCE : CWF

CODE TABLE : REV_CNTR_TB

176. Revenue Center Date

8 6 13

NUM

center the claims bills the will service HCPCS.

Effective with Version H, the date applicable to the service represented by the revenue code. This field may be present on any of institutional claim types. For home health the service date should be present on all with from date greater than 3/31/98. With implementation of outpatient PPS, hospitals be required to enter line item dates of for all outpatient services which require a

date

NOTE1: Beginning with NCH weekly process 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will zeroes in this field.

contain

'0022'

equal

re-

date.

NOTE2: When revenue center code equals (SNF PPS) and revenue center HCPCS code not to 'AAA00' (default for no assessment), date presents the MDS RAI assessment reference

'0023'

(RAP) must

episode.

information

show

service

NOTE3: When revenue center code equals (HHPPS), the date on the initial claim represent the first date of service in the The final claim will match the '0023' submitted on the initial claim. The SCIC (significant change in condition) claims may additional '0023' revenue lines in which the date represents the date of the first under the revised plan of treatment.

DB2 ALIAS : REV_CNTR_DT
 STANDARD ALIAS : REV_CNTR_DT
 TITLE ALIAS : REV_CNTR_DATE

LENGTH : 8 SIGNED : N

SOURCE : CWF

EDIT RULES :
 YYYYMMDD

177. Revenue Center 1st ANSI Code
 5 14 18 CHAR

The first code used to identify the detailed reason an adjustment was made (e.g. reason for denial or reducing payment).

claims
 Outpatient
 required to
 Maryland
 located
 Critical
 outpatient
 certain
 that are
 those
 hospitals and
 services
 date
 data.

NOTE1: This field is populated for those that are required to process through PPS Pricer. The type of bills (TOB) process through are: 12X, 13X, 14X (except providers, Indian Health Providers, hospitals in American Samoa, Guam and Saipan and Access Hospitals (CAH)); 76X; 75X and 34X if certain HCPCS are on the bill; and any type of bill with a condition code '07' and HCPCS. These claim types could have lines not required to price under OPPS rules so lines would not have data in this field.

Additional exception: Virgin Island hospitals that furnish only inpatient Part B with dates of service 1/1/02 and forward.

NOTE2: Beginning with NCH weekly process 7/7/00, this field will be populated with Claims processed prior to 7/7/00 will contain spaces in this field.

DB2 ALIAS : REV_CNTR_ANSI1_CD
 SAS ALIAS : REVANSI1
 STANDARD ALIAS : REV_CNTR_ANSI_1_CD
 TITLE ALIAS : ANSI_CD

LENGTH : 5

SOURCE : CWF

CODE TABLE : REV_CNTR_ANSI_TB

178. Revenue Center 2nd ANSI Code
 5 19 23 CHAR

The second code used to identify the detailed reason an adjustment was made (e.g. reason for denial or reducing payment).

claims
 Outpatient
 required to
 Maryland

NOTE1: This field is populated for those that are required to process through PPS Pricer. The type of bills (TOB) process through are: 12X, 13X, 14X (except

located
Critical
outpatient
certain
that are
those
hospitals and
services
date
data.

providers, Indian Health Providers, hospitals
in American Samoa, Guam and Saipan and
Access Hospitals (CAH)); 76X; 75X and 34X if
certain HCPCS are on the bill; and any
type of bill with a condition code '07' and
HCPCS. These claim types could have lines
not required to price under OPPS rules so
lines would not have data in this field.
Additional exception: Virgin Island
hospitals that furnish only inpatient Part B
with dates of service 1/1/02 and forward.
NOTE2: Beginning with NCH weekly process
7/7/00, this field will be populated with
Claims processed prior to 7/7/00 will contain
spaces in this field.

DB2 ALIAS : REV_CNTR_ANSI2_CD
SAS ALIAS : REVANSI2
STANDARD ALIAS : REV_CNTR_ANSI_2_CD
TITLE ALIAS : ANSI_CD
LENGTH : 5
SOURCE : CWF

179. Revenue Center 3rd ANSI Code 5 24 28

CHAR
The third code used to identify the
detailed reason an adjustment was made
(e.g. reason for denial or reducing payment).

claims
Outpatient
required to
Maryland
located
Critical
outpatient
certain
that are
those
hospitals and
services
date
data.

NOTE1: This field is populated for those
that are required to process through
PPS Pricer. The type of bills (TOB)
process through are: 12X, 13X, 14X (except
providers, Indian Health Providers, hospitals
in American Samoa, Guam and Saipan and
Access Hospitals (CAH)); 76X; 75X and 34X if
certain HCPCS are on the bill; and any
type of bill with a condition code '07' and
HCPCS. These claim types could have lines
not required to price under OPPS rules so
lines would not have data in this field.
Additional exception: Virgin Island
hospitals that furnish only inpatient Part B
with dates of service 1/1/02 and forward.
NOTE2: Beginning with NCH weekly process
7/7/00, this field will be populated with
Claims processed prior to 7/7/00 will contain
spaces in this field.

DB2 ALIAS : REV_CNTR_ANSI3_CD

SAS ALIAS : REVANSI3
STANDARD ALIAS : REV_CNTR_ANSI_3_CD
TITLE ALIAS : ANSI_CD

LENGTH : 5

SOURCE : CWF

180. Revenue Center 4th ANSI Code
5 29 33 CHAR

The fourth code used to identify the detailed reason an adjustment was made (e.g. reason for denial or reducing payment).

claims
Outpatient
required to
Maryland
located
Critical
outpatient
certain
that are
those

hospitals and
services

date
data.

NOTE1: This field is populated for those that are required to process through PPS Pricer. The type of bills (TOB) process through are: 12X, 13X, 14X (except providers, Indian Health Providers, hospitals in American Samoa, Guam and Saipan and Access Hospitals (CAH)); 76X; 75X and 34X if certain HCPCS are on the bill; and any type of bill with a condition code '07' and HCPCS. These claim types could have lines not required to price under OPPS rules so lines would not have data in this field.
Additional exception: Virgin Island hospitals that furnish only inpatient Part B with dates of service 1/1/02 and forward.

NOTE2: Beginning with NCH weekly process 7/7/00, this field will be populated with Claims processed prior to 7/7/00 will contain spaces in this field.

DB2 ALIAS : REV_CNTR_ANSI4_CD
SAS ALIAS : REVANSI4
STANDARD ALIAS : REV_CNTR_ANSI_4_CD
TITLE ALIAS : ANSI_CD

LENGTH : 5

SOURCE : CWF

181. Revenue Center APC/HIPPS Code
5 34 38 CHAR

created
Payment
code. The APC
services. APC
services under
HIPPS codes
for SNFPPS,
calculate payment.

Effective with Version 'I', this field was to house two pieces of data. The Ambulatory Classification (APC) code and the HIPPS is used to identify groupings of outpatient codes are used to calculate payment for OPPS. The APC is a four byte field. The are used to identify patient classifications HHPPS and IRFPPS that will be used to The HIPPS code is a five byte field.

claims
Outpatient
required to
Maryland
located
Critical
outpatient
certain
that are
those

hospitals and
services

codes
if a
downcoded/

date
data.
contain

NOTE1: The APC field is populated for those that are required to process through PPS Pricer. The type of bills (TOB) process through are: 12X, 13X, 14X (except providers, Indian Health Providers, hospitals in American Samoa, Guam and Saipan and Access Hospitals (CAH)); 76X; 75X and 34X if certain HCPCS are on the bill; and any type of bill with a condition code '07' and HCPCS. These claim types could have lines not required to price under OPPS rules so lines would not have data in this field.
Additional exception: Virgin Island hospitals that furnish only inpatient Part B with dates of service 1/1/02 and forward.
NOTE2: Under SNFPPS, HHPPS & IRFPPS, HIPPS are stored in the HCPCS field. **EXCEPTION: HHPPS HIPPS code is downcoded/upcoded the upcoded HIPPS will be stored in this field.
NOTE3: Beginning with NCH weekly process 8/18/00, this field will be populated with Claims processed prior to 8/18/00 will spaces in this field.

DB2 ALIAS : REV_APC_HIPPS_CD S
SAS ALIAS : APCHIPPS
STANDARD ALIAS : REV_CNTR_APC_HIPPS_CD
TITLE ALIAS : APC_HIPPS

LENGTH : 5

SOURCE : CWF

CODE TABLE : REV_CNTR_APC_TB

182. Revenue Center Healthcare Common Procedure Coding System Code
5 39 43 CHAR

(HCPCS)
procedures,

Healthcare Common Procedure Coding System is a collection of codes that represent supplies, products and services which may be provided to Medicare beneficiaries and to individuals enrolled in private health insurance programs. The codes are divided into three levels, or groups, as described below:

DB2 ALIAS : REV_CNTR_HCPCS_CD
STANDARD ALIAS : REV_CNTR_HCPCS_CD
TITLE ALIAS : HCPCS_CD

LENGTH : 5

COMMENTS :
Prior to Version H this field was named: HCPCS_CD. With Version H, a prefix was added to denote the location of this

field

and
PPS),
field
code.
code/
group
RAI
type of
identifies
HHRG system,
which a
not
derived.
will be
identifies
beneficiary.
contain
is an
with an
without comor-
defined as
defined
as
HIPPS
Code
system
see
American
are
physician
the

on each claim type (institutional: REV_CNTR
non-institutional: LINE).

NOTE: When revenue center code = '0022' (SNF
'0023' (HH PPS), or '0024' (IRF PPS); this
contains the Health Insurance PPS (HIPPS)

The HIPPS code for SNF PPS contains the rate
assessment type that identifies (1) RUG-III
the beneficiary was classified into as of the
MDS assessment reference date and (2) the
assessment for payment purposes.

The HIPPS code for Home Health PPS
(1) the three case-mix dimensions of the
clinical, functional and utilization, from
beneficiary is assigned to one of the 80 HHRG
categories and (2) it identifies whether or
the elements of the code were computed or
The HHRGs, represented by the HIPPS coding,
the basis of payment for each episode.

The HIPPS code (CMG Code) for IRF PPS
the clinical characteristics of the
The HIPPS rate/CMG code (AXXYY - DXXYY) must
five digits. The first position of the code
A, B, C, or 'D'. The HIPPS code beginning
'A' in front of the CMG is defined as
bidity. The 'B' in front of the CMG is
with comorbidity for Tier 1. The 'C' is
as comorbidity for Tier 2 and 'D' is defined
comorbidity for Tier 3. The 'XX' in the
rate code is the Rehabilitation Impairment
(RIC). The 'YY' is the sequential number
within the RIC.

For SNF PPS, HH PPS & IRF PPS HIPPS values
CLM_HIPPS_TB.

Level I
Codes and descriptors copyrighted by the
Medical Association's Current Procedural
Terminology, Fourth Edition (CPT-4). These
5 position numeric codes representing
and nonphysician services.

**** Note: ****
CPT-4 codes including both long and short
descriptions shall be used in accordance with
HCFA/AMA agreement. Any other use violates

field
and

185. Revenue Center HCPCS Third Modifier Code
2 48 49

the
than the
procedures

data.
contain

186. Revenue Center HCPCS Fourth Modifier Code
2 50 51

to the
the
procedures

data.
contain

187. Revenue Center HCPCS Fifth Modifier Code
2 52 53

TITLE ALIAS : SECOND_MODIFIER

LENGTH : 2

COMMENTS :

Prior to Version H this field was named:
HCPCS_2ND_MDFR_CD. With Version H, a prefix
was added to denote the location of this

on each claim type (institutional: REV_CNTR
non-institutional: LINE).

SOURCE : CWF

EDIT RULES :

CARRIER INFORMATION FILE

CHAR

Effective with Version I, a third modifier to
procedure code to make it more specific
second modifier code to identify the
performed on the beneficiary for the claim.

DB2 ALIAS : REV_HCPCS_3RD_CD

STANDARD ALIAS : REV_CNTR_HCPCS_3RD_MDFR_CD

TITLE ALIAS : THIRD_MODIFIER

LENGTH : 2

COMMENTS :

NOTE: Beginning with NCH weekly process date
8/18/00, this field will be populated with

Claims processed prior to 8/18/00 will
spaces in this field.

SOURCE : CWF

EDIT RULES :

CARRIER INFORMATION FILE

CHAR

Effective with Version I, a fourth modifier
procedure code to make it more specific than
third modifier code to identify the
performed on the beneficiary for the claim.

DB2 ALIAS : REV_HCPCS_4TH_CD

STANDARD ALIAS : REV_CNTR_HCPCS_4TH_MDFR_CD

TITLE ALIAS : FOURTH_MODIFIER

LENGTH : 2

COMMENTS :

NOTE: Beginning with NCH weekly process date
8/18/00, this field will be populated with

Claims processed prior to 8/18/00 will
spaces in this field.

SOURCE : CWF

EDIT RULES :

CARRIER INFORMATION FILE

CHAR

processed any
above criteria,
regardless of the

longer
payment
byte
be housed

189. Revenue Center Discount Indicator Code
1 56 56

represents

(part

significant
dis-

claims
Outpatient
required to
Maryland
located
Critical

outpatient
certain
that are
those

hospitals and
services

field may be
service
Expansion

7/00 because the Standard Systems have
claim coming in 7/00 and after, meeting the
through the Outpatient Code Editor (OCE)
dates of service.

NOTE3: Effective 10/2005, this field will no
represent the service indicator and the
indicator. This field will now house the 2-
payment indicator. The status indicator will
in a new field named: REV_CNTR_STUS_IND_CD.

DB2 ALIAS : REV_PMT_MTHD_CD
SAS ALIAS : PMTMTHD
STANDARD ALIAS : REV_CNTR_PMT_MTHD_IND_CD
TITLE ALIAS : PMT_MTHD

LENGTH : 2

SOURCE : CWF

CODE TABLE : REV_CNTR_PMT_MTHD_IND_TB

CHAR

Effective with Version 'I', this code
a factor that specifies the amount of any APC
discount. The discounting factor is applied
to a line item with a service indicator

of the REV_CNTR_PMT_MTHD_IND_CD) of 'T'. The
flag is applicable when more than one

procedure is performed. **If there is no
counting the factor will be 1.0.**

NOTE1: This field is populated for those

that are required to process through

PPS Pricer. The type of bills (TOB)

process through are: 12X, 13X, 14X (except

providers, Indian Health Providers, hospitals

in American Samoa, Guam and Saipan and

Access Hospitals (CAH)); 76X; 75X and 34X if
certain HCPCS are on the bill; and any

type of bill with a condition code '07' and

HCPCS. These claim types could have lines

not required to price under OPPS rules so

lines would not have data in this field.

Additional exception: Virgin Island

hospitals that furnish only inpatient Part B

with dates of service 1/1/02 and forward.

NOTE2: It has been discovered that this

populated with data on claims with dates of

prior to 7/00 (implementation of Claim Line

OPPS/HHPPS). The original understanding of

the new
populated
forward. Data
service prior to
processed any
above criteria,
regardless of the

FOLLOWING:

0.5)

190. Revenue Center Packaging Indicator Code
1 57 57

claims
Outpatient
required to
Maryland
located
Critical
outpatient
certain
that are
those

hospitals and
services

field may be
service

Expansion
the new

populated
forward. Data

revenue center fields was that data would be
on claims with dates of service 7/00 and
has been found in claims with dates of
7/00 because the Standard Systems have
claim coming in 7/00 and after, meeting the
through the Outpatient Code Editor (OCE)
dates of service.

NOTE3: VALUES D, U & T REPRESENT THE
D = Discounting fraction (currently 0.5)
U = Number of units
T = Terminated procedure discount (currently

DB2 ALIAS : REV_DSCNT_IND_CD
SAS ALIAS : DSCNTIND
STANDARD ALIAS : REV_CNTR_DSCNT_IND_CD
TITLE ALIAS : REV_CNTR_DSCNT_IND_CD

LENGTH : 1

SOURCE : CWF

CODE TABLE : REV_CNTR_DSCNT_IND_TB

CHAR

Effective with Version 'I', the code used to
identify those services that are packaged/
bundled with another service.

NOTE1: This field is populated for those
that are required to process through
PPS Pricer. The type of bills (TOB)
process through are: 12X, 13X, 14X (except
providers, Indian Health Providers, hospitals
in American Samoa, Guam and Saipan and

Access Hospitals (CAH)); 76X; 75X and 34X if
certain HCPCS are on the bill; and any

type of bill with a condition code '07' and
HCPCS. These claim types could have lines
not required to price under OPPS rules so
lines would not have data in this field.

Additional exception: Virgin Island
hospitals that furnish only inpatient Part B
with dates of service 1/1/02 and forward.

NOTE2: It has been discovered that this
populated with data on claims with dates of
prior to 7/00 (implementation of Claim Line
OPPS/HHPPS). The original understanding of
revenue center fields was that data would be
on claims with dates of service 7/00 and

service prior to processed any above criteria, regardless of the

has been found in claims with dates of 7/00 because the Standard Systems have claim coming in 7/00 and after, meeting the through the Outpatient Code Editor (OCE) dates of service.

DB2 ALIAS : REV_PACKG_IND_CD
SAS ALIAS : PACKGIND
STANDARD ALIAS : REV_CNTR_PACKG_IND_CD
TITLE ALIAS : REV_CNTR_PACKG_IND

LENGTH : 1

SOURCE : CWF

CODE TABLE : REV_CNTR_PACKG_IND_TB

191. Revenue Center Pricing Indicator Code
2 58

59

CHAR

Effective with Version 'I', the code used to identify if there was a deviation from the standard method of calculating payment amount.

claims
Outpatient
required to
Maryland
located
Critical
outpatient
certain
that are
those

NOTE1: This field is populated for those that are required to process through PPS Pricer. The type of bills (TOB) process through are: 12X, 13X, 14X (except providers, Indian Health Providers, hospitals in American Samoa, Guam and Saipan and Access Hospitals (CAH)); 76X; 75X and 34X if certain HCPCS are on the bill; and any type of bill with a condition code '07' and HCPCS. These claim types could have lines not required to price under OPPS rules so lines would not have data in this field.

hospitals and
services

Additional exception: Virgin Island hospitals that furnish only inpatient Part B with dates of service 1/1/02 and forward.

field may be
service

NOTE2: It has been discovered that this populated with data on claims with dates of prior to 7/00 (implementation of Claim Line OPPS/HHPPS). The original understanding of revenue center fields was that data would be on claims with dates of service 7/00 and has been found in claims with dates of 7/00 because the Standard Systems have claim coming in 7/00 and after, meeting the through the Outpatient Code Editor (OCE) dates of service.

Expansion
the new
populated

forward. Data
service prior to
processed any
above criteria,
regardless of the

DB2 ALIAS : REV PRICNG IND CD

SAS ALIAS : PRICNG
STANDARD ALIAS : REV_CNTR_PRICNG_IND_CD
TITLE ALIAS : REV_CNTR_PRICNG_IND

LENGTH : 2

SOURCE : CWF

CODE TABLE : REV_CNTR_PRICNG_IND_TB

192. Revenue Center Obligation to Accept As Full (OTAF) Payment Code
1 60 60 CHAR

Effective with Version 'I' the code used to indicate that the provider was obligated to accept as full payment the amount received from the primary (or secondary) payer.

NOTE1: This field is populated for those claims that are required to process through Outpatient PPS Pricer. The type of bills (TOB) required to process through are: 12X, 13X, 14X (except Maryland providers, Indian Health Providers, hospitals located in American Samoa, Guam and Saipan and Critical Access Hospitals (CAH)); 76X; 75X and 34X if outpatient certain that are those that are those

Additional exception: Virgin Island hospitals and services that furnish only inpatient Part B with dates of service 1/1/02 and forward.

NOTE2: It has been discovered that this field may be service Expansion the new populated forward. Data service prior to processed any above criteria, regardless of the populated with data on claims with dates of prior to 7/00 (implementation of Claim Line OPPS/HHPPS). The original understanding of revenue center fields was that data would be on claims with dates of service 7/00 and has been found in claims with dates of 7/00 because the Standard Systems have claim coming in 7/00 and after, meeting the through the Outpatient Code Editor (OCE) dates of service.

DB2 ALIAS : REV_OTAF1_IND_CD
SAS ALIAS : OTAF_1
STANDARD ALIAS : REV_CNTR_OTAF_1_IND_CD
TITLE ALIAS : REV_CNTR_OTAF_1_IND_CD

LENGTH : 1

SOURCE : CWF

EDIT RULES :
Y = provider is obligated to accept the

payment

service.
obligated to accept
payment by a prior

as payment in full for the
N or blank = provider is not
the payment, or there is no
payer.

193. Revenue Center Obligation to Accept As Full (OTAF) Payment Code
1 61 61 CHAR

information
with

*****FIELD NOT POPULATED*****
This field was intended to collect
for two payers if Medicare was tertiary. It
was discovered that MSP system only deals
one payer so there is no need to have 2 OTAF
fields.

DB2 ALIAS : REV_OTAF2_IND_CD
SAS ALIAS : OTAF_2
STANDARD ALIAS : REV_CNTR_OTAF_2_IND_CD
TITLE ALIAS : REV_CNTR_OTAF_2_IND_CD
LENGTH : 1
SOURCE : CWF

194. Revenue Center IDE, NDC, UPC Number
24 62 85 CHAR

number
(FDA)
manufacturer
clinical
new
service
store
fields:
second
can be
an
con-
'0624'
field was
National Drug Code
This field
would never
come in on
expanded to X(24)
(under Version

Effective with Version H, the exemption
assigned by the Food and Drug Administration
to an investigational device after a
has been approved by FDA to conduct a
trial on that device. HCFA established a
policy of covering certain IDE's which was
implemented in claims processing on 10/1/96
(which is NCH weekly process 10/4/96) for
dates beginning 10/1/95. IDE's are always
associated with revenue center code '0624'.
NOTE1: Prior to Version H a 'dummy' revenue
center code '0624' trailer was created to
IDE's. The IDE number was housed in two
HCPCS code and HCPCS initial modifier; the
modifier contained the value 'ID'. There
up to 7 distinct IDE numbers associated with
'0624' dummy trailer. During the Version H
version IDE's were moved from the dummy
trailer to this dedicated field.
NOTE2: Effective with Version 'I', this
renamed to eventually accommodate the
(NDC) and the Universal Product Code (UPC).
could contain either of these 3 fields (there
be an instance where more than one would
a claim). The size of this field was
to accommodate either of the new fields
'H' it was X(7). DATA ANAMOLY/LIMITATION:

During an
missing.
weekly pro-
processing
IDE but

CWFMQA review an edit revealed the IDE was
The problem occurs in claim with an NCH
cess dates of 6/9/00 through 9/8/00. During
of the new format the program receives the
then blanked out the data.

DB2 ALIAS : IDE_NDC_UPC_NUM
SAS ALIAS : IDENDC
STANDARD ALIAS : REV_CNTR_IDE_NDC_UPC_NUM
TITLE ALIAS : IDE_NDC_UPC

LENGTH : 24
SOURCE : CWF

LIMITATIONS :

REFER TO :
REV_CNTR_IDE_NDC_UPC_LIM

195. Revenue Center Unit Count 4 86 89

PACK

of times the
performed according
as described on

A quantitative measure (unit) of the number
service or procedure being reported was
to the revenue center/HCPDS code definition
an institutional claim.

measured by number
accommodation, pints of
dialysis
therapy visits,
tests.

Depending on type of service, units are
of covered days in a particular
blood, emergency room visits, clinic visits,
treatments (sessions or days), outpatient
and outpatient clinical diagnostic laboratory

(SNF PPS) the unit
for each HIPPS
for each rehab

NOTE1: When revenue center code = '0022'
count will reflect the number of covered days
code and, if applicable, the number of visits
therapy code.

DB2 ALIAS : REV_CNTR_UNIT_CNT
SAS ALIAS : REV_UNIT
STANDARD ALIAS : REV_CNTR_UNIT_CNT
TITLE ALIAS : UNITS

LENGTH : 7 SIGNED : Y
SOURCE : CWF

196. Revenue Center Rate Amount 6 90 95

PACK

(encounter
know
will
center
provider

Charges relating to unit cost associated with
the revenue center code. Exception
data only): If plan (e.g. MCO) does not
the actual rate for the accommodations, \$1
be reported in the field.

NOTE1: For SNF PPS claims (when revenue
code equals '0022'), CMS has developed a SNF
PRICER to compute the rate based on the

and
revenue

a
Ambulatory
factor,

rate is
associated with
index
depending on
episode.

change the
or
adjustment.
one
the

center
PRICER
code

was:

197. Revenue Center Blood Deductible Amount
6 96 101

money
deductible

claims
Outpatient
required to

supplied coding for the MDS RUGS III group
assessment type (HIPPS code, stored in
center HCPCS code field).

NOTE2: For OP PPS claims, CMS has developed
PRICER to compute the rate based on the
Payment Classification (APC), discount
units of service and the wage index.

NOTE3: Under HH PPS (when revenue center
code equals '0023'), CMS has developed a HHA
PRICER to compute the rate. On the RAP, the
determined using the case mix weight
the HIPPS code, adjusting it for the wage
for the beneficiary's site of service, then
multiplying the result by 60% or 50%,
whether or not the RAP is for a first

On the final claim, the HIPPS code could
payment if the therapy threshold is not met,
partial episode payment (PEP) adjustment or a
significant change in condition (SCIC)

In cases of SCICs, there will be more than
'0023' revenue center line, each representing
payment made at each case-mix level.

NOTE4: For IRF PPS claims (when revenue
code equals '0024'), CMS has developed a
to compute the rate based on the HIPPS/CMG
(HIPPS code, stored in revenue center HCPCS
field).

DB2 ALIAS : REV_CNTR_RATE_AMT
SAS ALIAS : REV_RATE
STANDARD ALIAS : REV_CNTR_RATE_AMT
TITLE ALIAS : CHARGE_PER_UNIT

LENGTH : 9.2 SIGNED : Y

COMMENTS :
Prior to Version H the size of this field
S9(7)V99.

SOURCE : CWF

PACK

Effective with Version 'I', the amount of
for which the intermediary determined the
beneficiary is liable for the blood
for the line item service.

NOTE1: This field is populated for those
that are required to process through
PPS Pricer. The type of bills (TOB)
process through are: 12X, 13X, 14X (except

Maryland
located
Critical
outpatient
certain
that are
those

hospitals and
services

field may be
service
Expansion
the new
populated
forward. Data
service prior to
processed any
above criteria,
regardless of the

providers, Indian Health Providers, hospitals
in American Samoa, Guam and Saipan and
Access Hospitals (CAH)); 76X; 75X and 34X if
certain HCPCS are on the bill; and any
type of bill with a condition code '07' and
HCPCS. These claim types could have lines
not required to price under OPPS rules so
lines would not have data in this field.
Additional exception: Virgin Island
hospitals that furnish only inpatient Part B
with dates of service 1/1/02 and forward.
NOTE2: It has been discovered that this
populated with data on claims with dates of
prior to 7/00 (implementation of Claim Line
OPPS/HHPPS). The original understanding of
revenue center fields was that data would be
on claims with dates of service 7/00 and
has been found in claims with dates of
7/00 because the Standard Systems have
claim coming in 7/00 and after, meeting the
through the Outpatient Code Editor (OCE)
dates of service.

DB2 ALIAS : REV_BLOOD_DDCTBL
SAS ALIAS : REVBLOOD
STANDARD ALIAS : REV_CNTR_BLOOD_DDCTBL_AMT
TITLE ALIAS : BLOOD_DDCTBL_AMT

LENGTH : 9.2 SIGNED : Y

SOURCE : CWF

198. Revenue Center Cash Deductible Amount
6 102 107

PACK
Effective with Version 'I' the amount of cash
deductible the beneficiary paid for the line
item service.

claims
Outpatient
required to
Maryland
located
Critical
outpatient
certain
that are
those

NOTE1: This field is populated for those
that are required to process through
PPS Pricer. The type of bills (TOB)
process through are: 12X, 13X, 14X (except
providers, Indian Health Providers, hospitals
in American Samoa, Guam and Saipan and
Access Hospitals (CAH)); 76X; 75X and 34X if
certain HCPCS are on the bill; and any
type of bill with a condition code '07' and
HCPCS. These claim types could have lines
not required to price under OPPS rules so

hospitals and services field may be service Expansion the new populated forward. Data service prior to processed any above criteria, regardless of the

lines would not have data in this field. Additional exception: Virgin Island hospitals that furnish only inpatient Part B with dates of service 1/1/02 and forward. NOTE2: It has been discovered that this populated with data on claims with dates of prior to 7/00 (implementation of Claim Line OPPS/HHPPS). The original understanding of revenue center fields was that data would be on claims with dates of service 7/00 and has been found in claims with dates of 7/00 because the Standard Systems have claim coming in 7/00 and after, meeting the through the Outpatient Code Editor (OCE) dates of service.

DB2 ALIAS : REV_CASH_DDCTBL
SAS ALIAS : REVDCTBL
STANDARD ALIAS : REV_CNTR_CASH_DDCTBL_AMT
TITLE ALIAS : CASH_DDCTBL

LENGTH : 9.2 SIGNED : Y
SOURCE : CWF

199. Revenue Center Coinsurance/Wage Adjusted Coinsurance Amount
6 108 113 PACK

Effective with Version 'I', the amount of coinsurance applicable to the line item service defined by the revenue center and HCPCS codes. For those services subject to Outpatient PPS, the applicable coinsurance is wage adjusted.

claims Outpatient required to Maryland Critical outpatient certain lines that so those

NOTE1: This field is populated for those that are required to process through PPS Pricer. The type of bills (TOB) process through are: 12X, 13X, 14X (except providers, Indian Health Providers and Access Hospitals (CAH)); 76X; 75X and 34X if certain HCPCS are on the bill; and any type of bill with a condition code '07' and HCPCS. The above claim types could have are not required to price under OPPS rules lines would not have data in this field.

national

NOTE2: This field will have either a zero (for services for which coinsurance is not applicable), a regular coinsurance amount (calculated on either charges or a fee schedule) or if subject to OP PPS the coinsurance amount will be wage adjusted. The wage adjusted coinsurance is based on the MSA where the provider is located or assigned as a result of a reclassification.

field may be
service
Expansion
the new
populated
forward. Data
service prior to
processed any
above criteria,
regardless of the

REV_CNTR_WAGE_ADJSTD_COINS_AMT

200. Revenue Center Reduced Coinsurance Amount
6 114 119

coinsurance

claims
Outpatient
required to
Maryland
located
Critical
outpatient
certain
that are
those

hospitals and
services

the

field may be
service

NOTE3: It has been discovered that this populated with data on claims with dates of prior to 7/00 (implementation of Claim Line OPPS/HHPPS). The original understanding of revenue center fields was that data would be on claims with dates of service 7/00 and has been found in claims with dates of 7/00 because the Standard Systems have claim coming in 7/00 and after, meeting the through the Outpatient Code Editor (OCE) dates of service.

DB2 ALIAS : ADJSTD_COINSRNC
SAS ALIAS : WAGEADJ
STANDARD ALIAS :

TITLE ALIAS : WAGE_ADJSTD_COINS
LENGTH : 9.2 SIGNED : Y
SOURCE : CWF

PACK

Effective with Version 'I', for all services subject to Outpatient PPS, the amount of coinsurance applicable to the line for a particular service (HCPCS) for which the provider has elected to reduce the amount.

NOTE1: This field is populated for those that are required to process through PPS Pricer. The type of bills (TOB) process through are: 12X, 13X, 14X (except providers, Indian Health Providers, hospitals in American Samoa, Guam and Saipan and Access Hospitals (CAH)); 76X; 75X and 34X if certain HCPCS are on the bill; and any type of bill with a condition code '07' and HCPCS. These claim types could have lines not required to price under OPPS rules so lines would not have data in this field. Additional exception: Virgin Island hospitals that furnish only inpatient Part B with dates of service 1/1/02 and forward.

NOTE2: The reduced coinsurance amount cannot be lower than 20% of the payment rate for APC line.

NOTE3: It has been discovered that this populated with data on claims with dates of

Expansion
the new
populated
forward. Data
service prior to
processed any
above criteria,
regardless of the

prior to 7/00 (implementation of Claim Line
OPPS/HHPPS). The original understanding of
revenue center fields was that data would be
on claims with dates of service 7/00 and
has been found in claims with dates of
7/00 because the Standard Systems have
claim coming in 7/00 and after, meeting the
through the Outpatient Code Editor (OCE)
dates of service.

DB2 ALIAS : RDCD_COINSRNC
SAS ALIAS : RDCDCOIN
STANDARD ALIAS : REV_CNTR_RDCD_COINS_AMT
TITLE ALIAS : REDUCED_COINS

LENGTH : 9.2 SIGNED : Y

SOURCE : CWF

201. Revenue Center 1st Medicare Secondary Payer Paid Amount
6 120 125 PACK

by
to

claims
Outpatient
required to
Maryland
located
Critical

outpatient
certain
that are
those

hospitals and
services

field may be
service
Expansion
the new
populated
forward. Data
service prior to
processed any

Effective with Version 'I', the amount paid
the primary payer when the payer is primary
Medicare (Medicare is secondary).
NOTE1: This field is populated for those
that are required to process through
PPS Pricer. The type of bills (TOB)
process through are: 12X, 13X, 14X (except
providers, Indian Health Providers, hospitals
in American Samoa, Guam and Saipan and
Access Hospitals (CAH)); 76X; 75X and 34X if
certain HCPCS are on the bill; and any
type of bill with a condition code '07' and
HCPCS. These claim types could have lines
not required to price under OPPS rules so
lines would not have data in this field.
Additional exception: Virgin Island
hospitals that furnish only inpatient Part B
with dates of service 1/1/02 and forward.
NOTE2: It has been discovered that this
populated with data on claims with dates of
prior to 7/00 (implementation of Claim Line
OPPS/HHPPS). The original understanding of
revenue center fields was that data would be
on claims with dates of service 7/00 and
has been found in claims with dates of
7/00 because the Standard Systems have

above criteria,
regardless of the

claim coming in 7/00 and after, meeting the
through the Outpatient Code Editor (OCE)
dates of service.

DB2 ALIAS : REV_MSP1_PD_AMT
SAS ALIAS : REV_MSP1
STANDARD ALIAS : REV_CNTR_MSP1_PD_AMT
TITLE ALIAS : MSP PAID AMOUNT

LENGTH : 9.2 SIGNED : Y

SOURCE : CWF

202. Revenue Center 2nd Medicare Secondary Payer Paid Amount
6 126 131 PACK

by
primary

claims
Outpatient
required to
Maryland
located
Critical

outpatient
certain
that are
those

hospitals and
services

field may be
service
Expansion
the new
populated
forward. Data
service prior to
processed any
above criteria,
regardless of the

Effective with Version 'I', the amount paid
the secondary payer when two payers are
to Medicare (Medicare is the tertiary payer).

NOTE1: This field is populated for those
that are required to process through
PPS Pricer. The type of bills (TOB)
process through are: 12X, 13X, 14X (except
providers, Indian Health Providers, hospitals
in American Samoa, Guam and Saipan and

Access Hospitals (CAH)); 76X; 75X and 34X if
certain HCPCS are on the bill; and any

type of bill with a condition code '07' and
HCPCS. These claim types could have lines
not required to price under OPPS rules so
lines would not have data in this field.

Additional exception: Virgin Island
hospitals that furnish only inpatient Part B
with dates of service 1/1/02 and forward.

NOTE2: It has been discovered that this
populated with data on claims with dates of
prior to 7/00 (implementation of Claim Line
OPPS/HHPPS). The original understanding of
revenue center fields was that data would be
on claims with dates of service 7/00 and
has been found in claims with dates of
7/00 because the Standard Systems have
claim coming in 7/00 and after, meeting the
through the Outpatient Code Editor (OCE)
dates of service.

DB2 ALIAS : REV_MSP2_PD_AMT
SAS ALIAS : REV_MSP2
STANDARD ALIAS : REV_CNTR_MSP2_PD_AMT
TITLE ALIAS : MSP PAID AMOUNT

LENGTH : 9.2 SIGNED : Y

203. Revenue Center Professional Component Amount
6 132 137

services
date
charges
items

SOURCE : CWF

PACK

*****FIELD NOT POPULATED*****
Intended to be populated for line item

subject to PPS, as the amount associated with Value Code '05'. However, with line item

of service reporting, there is no way to correctly allocate professional component

reported in value code '05' to specific line on the claim.

DB2 ALIAS : REV_PROFNL_CMPNT
SAS ALIAS : REVPCCHG
STANDARD ALIAS : REV_CNTR_PROFNL_CMPNT_AMT
TITLE ALIAS : PROFNL_CMPNT_CHARGES

LENGTH : 9.2 SIGNED : Y

SOURCE : CWF

204. Revenue Center Provider Payment Amount
6 138 143

claims
Outpatient
required to
Maryland
located
Critical
outpatient
certain
that are
those
hospitals and
services
to
are
OPPS
Limitations
handles
payment

PACK

Effective with Version 'I', the amount paid to the provider for the services reported on the line item.

NOTE1: This field is populated for those that are required to process through

PPS Pricer. The type of bills (TOB) process through are: 12X, 13X, 14X (except providers, Indian Health Providers, hospitals in American Samoa, Guam and Saipan and

Access Hospitals (CAH)); 76X; 75X and 34X if certain HCPCS are on the bill; and any

type of bill with a condition code '07' and HCPCS. These claim types could have lines not required to price under OPPS rules so lines would not have data in this field.

Additional exception: Virgin Island hospitals that furnish only inpatient Part B with dates of service 1/1/02 and forward.

ANAMOLY: For dates of service August 1, 2000 to the present, the OPPS revenue center fields being processed differently by FISS and APASS (standard systems). For more information on data problems for this time period see Appendix. The following is how each system this field:

FISS: populated correctly with provider amount

on

the APASS
FISS. See

3/1/2004)

field may be
service
Expansion
the new
populated
forward. Data
service prior to
processed any
above criteria,
regardless of the

205. Revenue Center Beneficiary Payment Amount
6 144 149

claims
Outpatient
required to
Maryland
located
Critical
outpatient
certain
that are
those

APASS: provider payment amount plus interest
1st revenue center line (CMM will instruct
APASS not to include interest)

Currently, the following FI numbers are under
system and all other FI numbers are under
FI_NUM table of codes for all FI numbers.

52280 -- Mutual of Omaha (until 6/1/2003)
00430 -- Washington/Alaska (until 11/1/2003)
00310 -- North Carolina BC (until 12/1/2003)
00370 -- Rhode Island (until 2/1/2004)
00270 -- New Hampshire/Vermont (until

00181 -- Maine/Massachusetts (until 5/1/2004)

NOTE2: It has been discovered that this
populated with data on claims with dates of
prior to 7/00 (implementation of Claim Line
OPPS/HHPPS). The original understanding of
revenue center fields was that data would be
on claims with dates of service 7/00 and
has been found in claims with dates of
7/00 because the Standard Systems have
claim coming in 7/00 and after, meeting the
through the Outpatient Code Editor (OCE)
dates of service.

DB2 ALIAS : REV_PRVDR_PMT_AMT
SAS ALIAS : RPRVDPMT
STANDARD ALIAS : REV_CNTR_PRVDR_PMT_AMT
TITLE ALIAS : REV_PRVDR_PMT

LENGTH : 9.2 SIGNED : Y

SOURCE : CWF

PACK

Effective with Version I, the amount paid
to the beneficiary for the services reported
on the line item.

NOTE1: This field is populated for those
that are required to process through
PPS Pricer. The type of bills (TOB)
process through are: 12X, 13X, 14X (except
providers, Indian Health Providers, hospitals
in American Samoa, Guam and Saipan and
Access Hospitals (CAH)); 76X; 75X and 34X if
certain HCPCS are on the bill; and any
type of bill with a condition code '07' and
HCPCS. These claim types could have lines
not required to price under OPPS rules so
lines would not have data in this field.
Additional exception: Virgin Island

hospitals and services
field may be service Expansion the new populated forward. Data service prior to processed any above criteria, regardless of the

hospitals that furnish only inpatient Part B with dates of service 1/1/02 and forward.
NOTE2: It has been discovered that this populated with data on claims with dates of prior to 7/00 (implementation of Claim Line OPPS/HHPPS). The original understanding of revenue center fields was that data would be on claims with dates of service 7/00 and has been found in claims with dates of 7/00 because the Standard Systems have claim coming in 7/00 and after, meeting the through the Outpatient Code Editor (OCE) dates of service.

DB2 ALIAS : REV_BENE_PMT_AMT
SAS ALIAS : RBENEPMT
STANDARD ALIAS : REV_CNTR_BENE_PMT_AMT
TITLE ALIAS : REV_BENE_PMT
LENGTH : 9.2 SIGNED : Y
SOURCE : CWF

206. Revenue Center Patient Responsibility Payment Amount
6 150 155 PACK

Effective with Version I, the amount paid by the beneficiary to the provider for the line item service.

claims
Outpatient required to Maryland located Critical outpatient certain that are those
hospitals and services
to
being
(standard
problems

NOTE1: This field is populated for those that are required to process through PPS Pricer. The type of bills (TOB) process through are: 12X, 13X, 14X (except providers, Indian Health Providers, hospitals in American Samoa, Guam and Saipan and Access Hospitals (CAH)); 76X; 75X and 34X if certain HCPCS are on the bill; and any type of bill with a condition code '07' and HCPCS. These claim types could have lines not required to price under OPPS rules so lines would not have data in this field.
Additional exception: Virgin Island hospitals that furnish only inpatient Part B with dates of service 1/1/02 and forward.
ANAMOLY: For dates of service August 1, 2000 present, the OPPS revenue center fields are processed differently by FISS and APASS systems). For more information on OPPS data for this time period see the Limitations

Appendix. The field:

coinsurance and

the APASS FISS. See

3/1/2004)

field may be service Expansion the new populated forward. Data service prior to processed any above criteria, regardless of the

following is how each system is handling this

FISS: populating correctly (sum of deductible)

APASS: not populating this field

Currently, the following FI numbers are under system and all other FI numbers are under FI_NUM table of codes for all FI numbers.

52280 -- Mutual of Omaha (until 6/1/2003)
00430 -- Washington/Alaska (until 11/1/2003)
00310 -- North Carolina BC (until 12/1/2003)
00370 -- Rhode Island (until 2/1/2004)
00270 -- New Hampshire/Vermont (until

00181 -- Maine/Massachusetts (until 5/1/2004)

NOTE2: It has been discovered that this populated with data on claims with dates of prior to 7/00 (implementation of Claim Line OPPS/HHPPS). The original understanding of revenue center fields was that data would be on claims with dates of service 7/00 and has been found in claims with dates of 7/00 because the Standard Systems have claim coming in 7/00 and after, meeting the through the Outpatient Code Editor (OCE) dates of service.

DB2 ALIAS : REV_PTNT_RESP_AMT
SAS ALIAS : PTNTRESP
STANDARD ALIAS : REV_CNTR_PTNT_RESP_PMT_AMT
TITLE ALIAS : REV_PTNT_RESP

LENGTH : 9.2 SIGNED : Y

SOURCE : CWF

207. Revenue Center Payment Amount 6 156 161

PACK

Effective with Version 'I', the line item Medicare payment amount for the specific revenue center.

claims Outpatient required to Maryland located Critical outpatient certain that are

NOTE1: This field is populated for those that are required to process through PPS Pricer. The type of bills (TOB) process through are: 12X, 13X, 14X (except providers, Indian Health Providers, hospitals in American Samoa, Guam and Saipan and Access Hospitals (CAH)); 76X; 75X and 34X if certain HCPCS are on the bill; and any type of bill with a condition code '07' and HCPCS. These claim types could have lines

those
hospitals and
services
to
being
(standard
problems
Appendix. The
field:
reimbursement.
coinsurance and
and
the APASS
FISS. See
3/1/2004)
field may be
service
Expansion
the new
populated
forward. Data
service prior to
processed any
above criteria,
regardless of the

not required to price under OPPS rules so
lines would not have data in this field.
Additional exception: Virgin Island
hospitals that furnish only inpatient Part B
with dates of service 1/1/02 and forward.
ANAMOLY: For dates of service August 1, 2000
present, the OPPS revenue center fields are
processed differently by FISS and APASS
systems). For more information on OPPS data
for this time period see the Limitations
following is how each system is handling this

FISS: this field contains provider

APASS: provider payment amount plus
deductible (should not include coinsurance
deductible). Users should rely on provider
payment amount field for the trust fund
payment.

Currently, the following FI numbers are under
system and all other FI numbers are under
FI_NUM table of codes for all FI numbers.

52280 -- Mutual of Omaha (until 6/1/2003)
00430 -- Washington/Alaska (until 11/1/2003)
00310 -- North Carolina BC (until 12/1/2003)
00370 -- Rhode Island (until 2/1/2004)
00270 -- New Hampshire/Vermont (until

00181 -- Maine/Massachusetts (until 5/1/2004)

NOTE2: It has been discovered that this
populated with data on claims with dates of
prior to 7/00 (implementation of Claim Line
OPPS/HHPPS). The original understanding of
revenue center fields was that data would be
on claims with dates of service 7/00 and
has been found in claims with dates of
7/00 because the Standard Systems have
claim coming in 7/00 and after, meeting the
through the Outpatient Code Editor (OCE)
dates of service.

DB2 ALIAS : REV_CNTR_PMT_AMT
SAS ALIAS : REVPMT

LENGTH : 9.2 SIGNED : Y

SOURCE : CWF

EDIT RULES :
\$\$\$\$\$\$\$\$\$CC

208. Revenue Center Total Charge Amount

for all revenue code) deductible and for the cost of revenue center units (days). series revenue customary to the have been participating in the revenue center code center code = dollar amount for revenue center sum of the '0023'). (IFR) PPS, when charges will (010X - 021X), units. MCO) does not accommodations the total

was:

The total charges (covered and non-covered) accommodations and services (related to the for a billing period before reduction for the coinsurance amounts and before an adjustment services provided. NOTE: For accommodation total charges must equal the rate times

EXCEPTIONS:

(1) For SNF RUGS demo claims only (9000 center codes), this field contains SNF accommodation charge, (ie., charges related accommodation revenue center code that would applicable if the provider had not been demo).

(2) For SNF PPS (non demo claims), when = '0022', the total charges will be zero.

(3) For Home Health PPS (RAPs), when revenue '0023', the total charges will equal the the '0023' line.

(4) For Home Health PPS (final claim), when code = '0023', the total charges will be the revenue center code lines (other than

(5) For Inpatient Rehabilitation Facility the revenue center code = '0024', the total be zero. For accommodation revenue codes total charges must equal the rate times the

(6) For encounter data, if the plan (e.g. know the actual charges for the charges will be \$1 (rate) times units (days).

DB2 ALIAS : REV_TOT_CHRG_AMT
SAS ALIAS : REV_CHRG
STANDARD ALIAS : REV_CNTR_TOT_CHRG_AMT
TITLE ALIAS : REVENUE_CENTER_CHARGES

LENGTH : 9.2 SIGNED : Y

COMMENTS :
Prior to Version H the size of this field
S9(7)V99.

SOURCE : CWF

LIMITATIONS :

REFER TO :
MLTPL_REV_CNTR_0001_CD_LIM
REV_CNTR_TOT_CHRG_AMT_LIM

EDIT RULES :

\$\$\$\$\$\$\$\$CC

209. Revenue Center Non-Covered Charge Amount
6 168 173

code for

S9(7)V99 and
Inpatient/SNF format.
field was added

REV_CENTER_NONCOVERED_CHARGES

PACK

The charge amount related to a revenue center services that are not covered by Medicare.

NOTE: Prior to Version H the field size was the element was only present on the As of NCH weekly process date 10/3/97 this to all institutional claim types.

DB2 ALIAS : REV_NCVR_CHRG_AMT
SAS ALIAS : REV_NCVR
STANDARD ALIAS : REV_CNTR_NCVR_CHRG_AMT
TITLE ALIAS :

LENGTH : 9.2 SIGNED : Y

SOURCE : CWF

EDIT RULES :
\$\$\$\$\$\$\$\$CC

210. Revenue Center Deductible Coinsurance Code
1 174 174

charges

CHAR

Code indicating whether the revenue center are subject to deductible and/or coinsurance.

DB2 ALIAS : DDCTBL_COINSRNC_CD
SAS ALIAS : REVDED CD
STANDARD ALIAS : REV_CNTR_DDCTBL_COINSRNC_CD
TITLE ALIAS : REVENUE_CENTER_DEDUCTIBLE_CD

LENGTH : 1

SOURCE : CWF

CODE TABLE : REV_CNTR_DDCTBL_COINSRNC_TB

211. Revenue Center Consolidated Billing Code
1 175 175

NCH/NMUD
claims only
therapy
subject
If the
prior
claim
be submitted
to

CHAR

Effective 1/1/2004 with the implementation of CR#1, this code is reflected on outpatient to identify those line item services (i.e. and nonroutine supply services) that are to SNF and Home Health consolidated billing. line item service was paid by an intermediary to the submission of the SNF or home health an adjustment for the outpatient claim will identifying those services that are subject consolidated billing.

NOTE1: Prior to 10/2005 (implementation of CR#2), this data was stored in position 175 in the revenue center trailer.

NOTE2: Effective July 2005, this data will be coming into the NCH. This process is

NCH/NMUD
(FILLER)

no longer
being handled

in the new CWF override processing.

DB2 ALIAS : CNSLDTD_BLG_CD
SAS ALIAS : RCNSLDTD
STANDARD ALIAS : REV_CNTR_CNSLDTD_BLG_CD

LENGTH : 1

SOURCE : CWF

CODE TABLE : REV_CNTR_CNSLDTD_BLG_TB

212. Revenue Center Status Indicator Code
2 176 177

CHAR

Effective 10/3/2005 with the implementation CR#2, the code used to identify the status line item service. This field along with payment method indicator field is used to how the service was priced for payment.

NOTE1: This 2-byte indicator is being added an expansion of a field that currently exist revenue center trailer. The status indicator currently the 1st position of the Revenue Payment Method Indicator Code. The payment indicator code is being split into two 2-fields (payment indicator and status expanded payment indicator will continue to in the existing payment method indicator split of the current payment method indicator is due to the expansion of both pieces of 1-byte to 2-bytes.

NOTE2: This field is populated for those that are required to process through PPS Pricer. The type of bills (TOB) process through are: 12X, 13X, 14X (except providers, Indian Health Providers, hospitals in American Samoa, Guam and Saipan and Access Hospitals (CAH)); 76X; 75X and 34X if certain HCPCS are on the bill; and any type of bill with a condition code '07' and HCPCS. These claim types could have lines not required to price under OPPS rules so lines would not have data in this field. Additional exception: Virgin Island hospitals that furnish only inpatient Part B

DB2 ALIAS : REV_STUS_IND_CD
SAS ALIAS : RSTUSIND
STANDARD ALIAS : REV_CNTR_STUS_IND_CD

of NCH/NMUD
of the
the
identify
due to
on the
is
Center
method
byte
indicator). The
be stored
field. The
field
date from
claims
Outpatient
required to
Maryland
located
Critical
outpatient
certain
that are
those
hospitals and
services.

				LENGTH	:	2
				SOURCE	:	CWF
				CODE TABLE	:	REV_CNTR_STUS_IND_TB
213. FILLER	47	178	224	CHAR		
				DB2 ALIAS	:	FILLER
				LENGTH	:	47
214. End of Record Code	3	1	3	CHAR		
				Effective with Version 'I', the code used to identify the end of a record/segment or the end of the claim.		
				DB2 ALIAS	:	END_REC_CD
				SAS ALIAS	:	EOR
				STANDARD ALIAS	:	END_REC_CD
				TITLE ALIAS	:	END_OF_REC
				LENGTH	:	3
				COMMENTS :		
				Prior to Version I this field was named: END_REC_CNSTNT.		
				SOURCE	:	NCH
				CODE TABLE	:	END_REC_TB